

Product Data Sheet

2/13/2025

Electronic Controls

Unisenza Plus Wiring Centre

UK - Myson



- Heating and cooling
- Integrated pump protection function
- LED status displays
- Optional dew/excess temperature sensors
- Extended 5-year warranty

Description

The Unisenza Plus Wiring Centre can connect with up to 8 Unisenza Plus RF Thermostats, enabling safe, easy wiring for hydronic radiant heating and cooling systems. Mount it in the cabinet near the manifold to connect the actuators. It features outputs to switch a pump or boiler and a central input for easy changeover from heating to cooling .

Area of Application

The Unisenza Plus Wiring Centre is ideal for hydronic radiant heating and cooling systems. It supports up to 8 Unisenza Plus RF Thermostats, offering outputs to switch a pump or boiler and a central input for heating to cooling changeover. Suitable for cabinet mounting near the manifold .

Selection Criteria

The Unisenza Plus Wiring Centre is compatible with up to 8 Unisenza Plus RF Thermostats for hydronic heating and cooling systems. Use our design service or brochure for quick selection .

Basic User Instructions

Mount the Unisenza Plus Wiring Centre near the manifold within a cabinet. Connect the actuators accordingly. Use the outputs for switching a pump or boiler and the central input for heating to cooling changeover. For detailed instructions and to use the control via the Unisenza Plus app, visit www.myson.com .

Prescription text specifiers

The Unisenza Plus Wiring Centre ensures safe and easy wiring for up to 8 Unisenza Plus RF Thermostats in hydronic radiant heating and cooling systems. Mount it in the cabinet near the manifold to connect the actuators. It features outputs for switching pumps or boilers and central input for changeover from heating to cooling. The wiring centre includes an integrated pump protection function and provides options for additional dew point and excess temperature sensors to protect the system. Easy-to-understand LED indicators offer quick status reference. Available in both 230V and 24V versions, with a 5-year warranty .

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or

replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
---------	------	-------

Resources

Document Description	Document Type	Link
----------------------	---------------	------

Items

Local Code	Global Item Code	Item Description
------------	------------------	------------------