


Product Data Sheet

12/18/2024

Underfloor Heating Systems

Tackernail System

UK - Myson



- Strongest UFH clip available.
- Easy to install.
- Clog-free design.
- Flexible pipe patterns.
- Residential and commercial use.

Description

The Tackernail is made entirely out of plastic so there is no clogging from sticking tape. It also has more barbs, so there is no worry about nails lifting. The pipe is positioned in place and the Tackernail is fixed over the pipe using a MYSON FLOORTEC Tackertool. The Tackertool is specifically designed to work with our Tackernails for easy and efficient operation. It can be purchased or rented from Myson.

Area of Application

The Tackernail System is suitable for solid floor types. It's ideal for underfloor heating pipe installations in both residential and commercial settings. Notably, it supports flexible pipe patterns and ensures secure, clog-free fixtures. It's compatible with both spiral and serpentine layouts, offering high reliability against nails lifting and clogging.

Selection Criteria

For selecting and configuring the Tackernail System, refer to our design service. For quick selection, use our brochure.

Basic User Instructions

To use the Tackernail System, position the underfloor heating pipe in place. Then, using the Tackertool, fix the Tackernail over the pipe. The Tackertool, designed for efficiency, ensures the Tackernail is securely fastened, allowing both spiral and serpentine patterns. This all-plastic construction avoids clogging issues, providing a secure fixture due to multiple barbs. Note, no floor insulation is supplied with this system .

Prescription text specifiers

Myson Floortec Tackernails are the strongest plastic U-Clip for securing underfloor heating pipes to solid floors. Designed to prevent clogging and lifting, they enhance the system's reliability. The Tackernail System uses a specialized Tackertool for easy, efficient installation and supports both spiral and serpentine pipe layouts. It's suitable for residential and commercial applications, providing a quick, user-friendly method for robust underfloor heating installations. Note: Floor insulation is not included .

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or

replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

| Feature | Unit | Value |
|---------|------|-------|
|---------|------|-------|

Resources

| Document Description | Document Type | Link |
|----------------------|---------------|---|
| Range brochure | Brochure | https://asset.productmarketingcloud.com/api/assetstorage/3577_3e6c4df2-7006-4133-88db-1026c6c421d2 |

Items

| Local Code | Global Item Code | Item Description |
|------------|------------------|------------------|
|------------|------------------|------------------|