

Product Data Sheet

2/16/2026

Accessories (fixing)

Flowmeter

Romania - Purmo



- Easy to install
- Easy maintenance
- Accurate measurement
- Durable design
- Pre-assembled units

Description

Replacement flow meter 0.5-6 l/min. for Purmo heating circuit manifold ensures accurate flow measurement and reliability. The pre-assembled units can be cleaned and replaced without the need to drain the system, minimizing maintenance downtime.

Area of Application

Replacement flow meter 0.5-6 l/min. for Purmo heating circuit manifold. Suitable for pre-assembly. The flow meters can be cleaned and replaced without water loss.

Selection Criteria

For selecting the product or calculating the system please use our technical documents, product manuals, our design service or contact us via e-mail or phone.

Basic User Instructions

The flow meter should be pre-assembled in accordance with the provided technical documents. Ensure that the area is free of water during cleaning or replacement to avoid contamination. Follow our installation video using the QR code on the product for a visual guide. For accurate functionality, make sure the flow meter is securely fixed and properly calibrated post-installation.

Prescription text specifiers

Replacement flow meter 0.5-6 l/min. for Purmo heating circuit manifold. Pre-assembled units facilitate easy and quick installation. The flow meters are designed for accurate flow measurement and can be cleaned and replaced without loss of water. This ensures continuous operation and low maintenance. Suitable for integration into Purmo heating systems.

Warranty

Purmo radiators are warranted for a period of 10 years* from date of purchase against all manufacturing defects when they are used in normal conditions and for a heating system with hot water. The warranty does not apply to defects caused by installation or handling errors, misuse or factors external to the radiators, such as water quality or oxygen-permeable pipes.

Underfloor heating products and piping systems elements are warranted for a period of 10 years**.

* 6 years for galvanized radiators and 2 years for all electronic and electric components and spare parts sold separately (side covers, top grilles, plastic clips, plugs, air vents, fixing parts)

** 30 years for PexPenta pipes

Specification

| Feature | Unit | Value |
|------------------------------|-----------------|--|
| Etim Class | | EC010381 - Accessories/spare parts for floor heating |
| Depth | Millimetre (mm) | 30 |
| Weight | Kilogram (kg) | 0.05 |
| Height | Millimetre (mm) | 100 |
| Width / Length | Millimetre (mm) | 30 |
| Type of accessory/spare part | | Other |

Resources

| Document Description | Document Type | Link |
|----------------------|---------------|------|
|----------------------|---------------|------|

Items

| Global Item Code | Item Description |
|------------------|---|
| FBSMANIFB5030100 | SP Flow meter f. HKV 1" |
| FBWAMWP000P12F00 | PURMO flow meter for heating circuit distributors |