Product Data Sheet

4/19/2025

Decorative Radiators

Delta Bar

Romania - Purmo



- Elegant Design
- Dual Functionality
- Customizable
- Invisible Connections
- Flexible Integration

Description

Delta Bar is a premium designer radiator that seamlessly doubles as a bar counter or room divider. Crafted with precision laser-welded steel tubes in a characteristic Delta profile, this radiator features an elegant design set, an integrated pre-settable thermostat valve, and invisible connections from below. Available in an array of RAL colors and flexible in height and length, it can be seamlessly integrated into a variety of spaces, whether residential or commercial. The Delta Bar not only ensures optimal heating but also adds a stylish focal point to any room.

Area of Application

The Delta Bar is ideal for use as a high-end designer radiator and room divider. Suitable for open-plan living spaces, commercial interiors such as hotels and restaurants, it combines heating and design functionality. Technical highlights include laser-welded construction, flexibility in height and length, invisible connections from underneath, an integrated pre-settable thermostat valve, and available in RAL colors, providing ample customization.

Selection Criteria

For product selection, please use our design service or refer to our product brochure for quick and effective selection.

Basic User Instructions

Delta Bar should be installed by a professional. Ensure the radiator is securely mounted using the supplied design set and consoles. Connect to the heating system through the provided G 1/2" connections located underneath the unit. The inlet is always on the left and the return on the right. The built-in thermostat valve and head must be fitted on the upper left side. The radiator is designed to be free-standing and can be used as a room divider or counter. Always keep the unit level and verify all connections are secure before use.

Prescription text specifiers

Delta Bar, a premium design radiator, functions as a room divider or bar counter. Constructed from precision steel tubes and laser-welded, it features a Delta profile for increased heat output. It comes with an integrated, pre-set thermostat valve, is available in standard RAL 9016 but can be customized in other RAL colors. Dimensions include heights of 750 mm or 900 mm, with lengths of 700 mm, 900 mm, or 1100 mm. Depth options are 224 mm for the 4-column model and 262 mm for the 5-column model. The radiator connects via G 1/2" fittings underneath. The delivery includes consoles and the design set, but the individual top must be ordered separately.

Warranty

Purmo radiators are warranted for a period of 10 years* from date of purchase against all manufacturing defects when they are used in normal conditions and for a heating system with hot water. The warranty does not apply to defects caused by installation or handling errors, misuse or factors external to the radiators, such as water quality or oxygen-permeable pipes. Underfloor heating products and piping systems elements are warranted for a period of 10 years**. * 6 years for galvanized radiators and 2 years for all electronic and electric components and spare parts sold separately (side covers, top grilles, plastic clips, plugs, air vents, fixing parts) ** 30 years for PexPenta pipes

Specification

Feature Unit Value

Resources

Document Type **Document Description** Link

Items

Global Item Code Item Description