




Data sheet

2025-10-01

Tinos V

Soft, rounded shape



- ✓ **Modern rounded design**
- ✓ **Perfect solution for limited wall space**
- ✓ **High-quality stainless steel towel rail**
- ✓ **Middle connection radiator**
- ✓ **Rotatable for connection from above**

Paros V is designed to match any decorative style, whether you prefer an intimate, classic style or a cleaner, more modern design. This vertical panel radiator available in RAL 9016 white as standard, but other colours and finishes are available on request. A towel rail in high-quality stainless steel is available as an accessory. The side covers are integrated with a decorative front plate in one elegant rectangular casing affixed to the core radiator body. Complete with brackets including set of screws and dowels with mounting instructions, 3 brass blind plugs and air-vent.



Area of application

Contemporary alternative to horizontal radiators, manufactured using steel. Factory-fitted with a sleek flat steel front plate, side panels and top grille. Various sizes available. The perfect solution for applications where wall space is limited. 2 pipe pumped indirect domestic and commercial heating applications. 6 x 1/2" BSP Connections.

Sizing

Use a Heat Demand Calculator to determine which heat output is required from the large range of Paros V vertical radiators.

Usage

Air vent and plug packs are included in the packaging. Thermostatic Radiator Valves can be installed to control room temperature.

AMA Text

Designer radiator Paros V is a vertical radiator with a flat front casing integrated with rounded side covers, and designed without joints. Available as type 11, with one heating panel and one layer of convection fins, or as type 21 with two heating panels and one layer of convection fins.



Specifications

PROPERTIES	UNIT	VALUES
ETIM Class		EC011022 - Panel radiator (hydronic)
Material		Steel
Type		11, 21
Surface structure		Flat smooth
Max working pressure	Bar (bar)	10
Number of standard connections		6
Heat output according to recognized EN 442 laboratory		Yes
Standard color		Yes
Color		White
Grill/Cover plate, side		Yes
Grill/Cover plate, top		Yes
RAL number		9016
Gloss value		Glossy
Thread dimension (inch)		1/2 inch
Thread connection		Internal thread
With single-point connection		Yes
With air vent connection		Yes
With air valve/vent		Yes
With drain option		Yes




Documents

DOCUMENTS	DOCUMENT TYPE	LINK
Colour options	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_f65456e4-6139-44cf-9d1d-0515ae484ab6
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Premium Panel & Designer Radiators	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_3d4bf218-6a5c-42b1-9724-4392ee2b378c
Range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5a942de7-8bcb-4179-a4fc-d890b5c692f3
Product Warranty	Warranty	https://asset.productmarketingcloud.com/api/assetstorage/3577_ee6ba5d6-3073-4ac1-8de0-f0c719a2c4ab



Resources



New_Tinos-V-MAIN-2000x2000



1800

HEIGHT 1800 mm	LENGTH	DEPTH	ITEM NO	EFFECT (Btu/H) 55/45/20°C	EFFECT (Btu/H) 75/65/20°C	VOLUME (l)	N-EXPONENT	WEIGHT (kg)
Type 11								
	475	65	TIN180SC47	1863	3555	3.8	1.26	29.6
	625	65	TIN180SC62	2419	4623	4.9	1.27	38.1
Type 21								
	475	97	TIN180DX47	2443	4739	7.2	1.30	47.7
	625	97	TIN180DX62	3173	6183	9.7	1.31	63.1



1950

HEIGHT 1950 mm	LENGTH	DEPTH	ITEM NO	EFFECT (Btu/H) 55/45/20°C	EFFECT (Btu/H) 75/65/20°C	VOLUME (l)	N-EXPONENT	WEIGHT (kg)
Type 11								
	475	65	TIN195SC47	1986	3787	4.1	1.26	31.6
	625	65	TIN195SC62	2576	4927	5.4	1.27	40.8
Type 21								
	475	97	TIN195DX47	2579	5002	7.8	1.30	51.3
	625	97	TIN195DX62	3361	6527	10.4	1.30	67.9