


UNIFLEX Basisset

Austria - Vogel & Noot



Etim Class		EC011531 - Schornsteinunterstützung
Höhe	Millimeter (mm)	1500
Oberflächenschutz		sonstige
Werkstoff		rostfreier Stahl
Durchmesser Abgasrohr max	Millimeter (mm)	113, 120, 130, 150, 180, 200, 250, 80
Durchmesser Abgasrohr min	Millimeter (mm)	113, 120, 130, 150, 180, 200, 250, 80

Product Catalog	Link
	https://asset.productmarketingcloud.com/api/assetstorage/3577_092bd2ad-345e-4d9a-8c0c-e7faba6ee28e

FCF0010000008010	VN-UNITEC Basis-Set DD D=80
FCF0010000011300	VN-UNITEC Basis-Set FU D=113
FCF0010000011310	VN-UNITEC Basis-Set DD D=113
FCF0010000012000	VN-UNITEC Basis-Set FU D=120
FCF0010000012010	VN-UNITEC Basis-Set DD D=120
FCF0010000013000	VN-UNITEC Basis-Set FU D=130
FCF0010000013010	VN-UNITEC Basis-Set DD D=130
FCF0010000015000	VN-UNITEC Basis-Set FU D=150
FCF0010000015010	VN-UNITEC Basis-Set DD D=150
FCF0010000018000	VN-UNITEC Basis-Set FU D=180
FCF0010000018010	VN-UNITEC Basis-Set DD D=180
FCF0010000020000	VN-UNITEC Basis-Set FU D=200
FCF0010000020010	VN-UNITEC Basis-Set DD D=200
FCF0010000025000	VN-UNITEC Basis-Set FU D=250
FCF0010000025010	VN-UNITEC Basis-Set DD D=250