

Product Data Sheet

1/27/2025

Plan Compact

UK - Myson



- Refined finish
- Optimal heat distribution
- Decorative grille & side panels
- Vertical models available
- Child-proof attachment

Description

Plan Compact radiators offer a minimalist design with leading performance. The flat front panel is complemented by side panels and a decorative grille. It's suitable for hydronic heating systems with optional dual fuel capability. Comes pre-assembled for quick installation.

Area of Application

Plan Compact is suitable for both domestic and commercial heating applications. It offers a sleek, flat steel plate design, side panels, and top grilles. Ideal for 2-pipe pumped indirect systems, it matches various dimensions for easy replacements.

Selection Criteria

Use a Heat Loss Calculator to determine the required heat output from the Plan Compact range. It is available in Types 11, 21, 22, and 33.

Basic User Instructions

Plan Compact radiators come with air vent and plug packs included. Install Thermostatic Radiator Valves for temperature control. Suitable for 2-pipe indirect systems, ensure connections are secure and follow installation guidelines.

Prescription text specifiers

Plan Compact radiators are high-quality panel radiators featuring a flat front panel, side panels, and a top grille. Manufactured from steel and available in Types 11, 21, 22, and 33, they provide optimal heat distribution. Suitable for 2-pipe pumped indirect systems with 4 x 1/2" BSP connections. Tested to a pressure of 10.5 bar and operating temperature up to 100°C. Available in various heights and lengths, ensuring easy installation and replacement. Ideal for both domestic and commercial heating applications. Comes with a 10-year guarantee against manufacturing defects.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the

product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC010064 - Thermostatic control head for valve, EC010136 - Radiator stop valve, EC011022 - Panel radiator
Item weight	Kilogram (kg)	0.0037, 0.0077, 0.0112, 0.0182, 0.15 ... 83.855, 85.694, 93.354, 94.511, 96.309
Model		Other
Height	Millimetre (mm)	300, 400, 500, 600
Shape		Right-angled, Straight
Surface protection		Chromium-plated
Housing material		Brass
Operation		Manually operated
Automatic flow control		No
With straight tailpiece		Yes
Pressure independent		No
With dust cap		No
With compression set		No
Suitable for single pipe system		Yes
Suitable for two pipe system		Yes
Size of pipe connection		1/2 inch (15), 3/8 inch (10)
Size of radiator connection		1/2 inch (15)
Shortened construction length		No
Reverse direction of flow		Yes
Size of thermostatic adjustment element connection		M30 x 1.5
Can be preset		No
Presetting		None
Thermostatically prepared		Yes
With bent tailpiece		No
Colour		White
RAL-number		8893, 8894, 8895, 8896, 8897 ... 9011, 9012, 9013, 9014, 9015
Watt Per Meter	Watt per metre (W/m)	1113, 1198, 1288, 1314, 1444, 1664, 1676, 1994, 2309, 529, 680, 823, 937, 961
Mounting direction		Horizontal
Factor K		1.802, 10.16, 10.692, 10.835, 10.893 ... 9.705, 9.804, 9.922, 9.983, 9.995
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		1003, 1020, 10314, 1157, 1160 ... 908, 9124, 938, 966, 986

Feature	Unit	Value
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		2, 3
Heat emission according to EN 442 20 °C - 75/65 [Btu/h]		10106, 10233, 10294, 1082, 10898 ... 928, 9444, 9533, 9837, 9854
Depth	Millimetre (mm)	104, 154, 63, 72
Collapsible		No
Type		11, 21, 22, 33
Length	Millimetre (mm)	1000, 1200, 1400, 1600, 1800, 2000, 2300, 2600, 3000, 400, 600, 800
Material		Steel
Water content	Litre (l)	1, 10, 11, 12, 13 ... 5, 6, 7, 8, 9
With mounting material		Yes
Water-bearing front panel		Yes
Surface structure front side panel		Flat smooth
Heat emission according to EN 442 20 °C Watt (W) - 70/40		1005, 1031, 1041, 1047, 1054 ... 950, 955, 956, 963, 991
Heat emission according to EN 442 20 °C Watt (W) - 55/45		1009, 1015, 1020, 1030, 1036 ... 931, 939, 965, 982, 998
Recessed towel holder		No
Connection 2, left side low		Inlet/outlet flow
Connection 3, left side top		Inlet flow
Connection 6, right side top		Inlet flow
Connection 7, right side low		Inlet/outlet flow
Number of standard connections		4
Welded-on strips		Yes
With drain valve		No
With de-aerator		Yes
With de-aeration connection		Yes
Max. operating pressure	Bar (bar)	10
With drain possibility (connection)		Yes
Thread connection		Internal thread
With towel holder		No
Thread size (inch)		1/2 inch
Heat emission according to EN 442 20 °C Watt (W) - 75/65		1006, 1030, 1058, 1088, 1113 ... 952, 958, 961, 988, 998
N-exponent		1.282, 1.2824, 1.2827, 1.2831, 1.2907, 1.2967, 1.3, 1.3098, 1.3159, 1.3197, 1.3245, 1.3295, 1.3331, 1.3417
With side lining		Yes
With single-point connection		No
With integrated thermostatic valve		No
With wall brackets		Yes

Feature	Unit	Value
With blind stops		No
With top cladding		Yes
Heat emission according to EN 442 laboratory		Yes
Suitable for electrical element		No
With electrical element		No
Suitable for damp space		No
Standard colour		Yes
Degree of gloss		Glossy

Resources

Document Description	Document Type	Link
		https://asset.productmarketingcloud.com/api/assetstorage/3577_eee0bef7-9809-4d55-bd6b-100446c299f7
		https://asset.productmarketingcloud.com/api/assetstorage/3577_f5abb750-865a-442e-893e-f3e89891cc0f
		https://asset.productmarketingcloud.com/api/assetstorage/3577_2f04a915-0142-496f-8ac2-2092d1fdd4e2
		https://asset.productmarketingcloud.com/api/assetstorage/3577_fffda433-d389-4767-bdd9-fde988627c27
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Plan Range Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_12a914cb-8292-42b9-b033-d2700ab49b1d
Myson Premium Panel Radiators Range	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_dbbb4886-bcb4-4852-95a7-59ce12e05cfb
		https://asset.productmarketingcloud.com/api/assetstorage/3577_8cf2e2c6-e0ac-4450-b1b9-07f0a0ad8cd6
Myson Premium Panel & Designer Radiators	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_3d4bf218-6a5c-42b1-9724-4392ee2b378c

Items

HVAC Code	Global Item Code	Item Description
	FDIG20015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome Drain Off
	FDII40015ABYBHUK0	Matchmate 15mm Wheelhead Angle Chrome C/W Pushfit 90 Degree Elbow
	FDII20B15AAYBHUK0	Matchmate 1/2"; Olive Wheelhead Straight Chrome
	FDIG10B15AAYBHUK0	Matchmate 1/2"; Olive Lockshield Straight Chrome
	FDII20015AAYBHUK0	Matchmate 15mm Wheelhead Straight Chrome
	FDII20010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome
	FDIG10015AAYBHUK0	Matchmate 15mm Lockshield Straight

HVAC Code	Global Item Code	Item Description
	FDIG10015AAYBHUK0	Chrome
	FDII40010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome C/W Pushfit 90 Degree Elbow
	FDIG90015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome Pushfit
	FDIG10010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome
	FDIG70010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome Drain Off Pushfit
	FDIG60010ABYBHUK0	Matchmate 10mm LS Angle Chrome Drain Off C/W Compression 90o Elbow
	FDIG20010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome Drain Off
	ADMY9000000YACUK3	Matchmate Wheelhead Top Only
	FDII30010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome C/W Compression 90 Degree Elbow
	FDIG80015ABYBHUK0	Matchmate 15mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDII10010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDIG10B15ABYBHUK0	Matchmate 1/2" & #34; Olive Lockshield Angle Chrome
	FDIG10015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome
	FDIG50010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome C/W Compression 90 Degree Elbow
	FDIG90010AAYBHUK0	Matchmate 10mm Lockshield Straight Chrome Pushfit
	FDIG80010ABYBHUK0	Matchmate 10mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDII10015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	ADMY4000000YACUK3	Matchmaster Lockshield Top Only
	ADMY6000000YACUK3	Fullflow Lockshield & Wheelhead Tops Only
	FDI110010AAYBHUK0	Matchmaster 10mm Lockshield Straight Chrome Pushfit
	FDI110010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome
	FDI110015AAYBHUK0	Matchmaster 15mm Lockshield Straight Chrome

HVAC Code	Global Item Code	Item Description
	FDI110A15AAYBHUK0	Matchmaster 15mm Or 1/2" Bsp Lockshield Straight Chrome
	FDI110A15AAYBHUK1	Fullflow 15mm / 1/2" Copper Or 1/2" Bsp Lockshield Straight Chrome
	FDI110A15ABYBHUK0	Matchmaster 15mm Or 1/2" Bsp Lockshield Angle Chrome
	FDI110A15ABYBHUK1	Fullflow 15mm / 1/2" Copper Or 1/2" Bsp Lockshield Angle Chrome
	FDI120010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome Drain Off
	FDI120015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome Drain Off
	FDI170015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome Drain Off Pushfit
	FDI180010ABYBHUK0	Matchmaster 10mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDI180015ABYBHUK0	Matchmaster 15mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDI190010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome Pushfit
	FDI210010AAYBHUK0	Matchmaster 10mm Lockshield Straight Chrome Pushfit 90 Degree Elbow
	FDI210010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDI210015AAYBHUK0	Matchmaster 15mm LS Straight Chrome C/W Pushfit 90 Degree Elbow
	FDI210015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDI220015AAYBHUK0	Matchmaster 15mm Wheelhead Straight Chrome
	FDI220015ABYBHUK0	Matchmaster 15mm Wheelhead Angle Chrome
	FDI220A15AAYBHUK0	Matchmaster 15mm Or 1/2" Bsp Wheelhead Straight Chrome
	FDI220A15AAYBHUK1	Fullflow 15mm / 1/2" Copper Or 1/2" Bsp Wheelhead Straight Chrome
	FDI220A15ABYBHUK1	Fullflow 15mm / 1/2" Copper Or 1/2" Bsp Wheelhead Angle Chrome
	FDI240010AAYBHUK0	Matchmaster 10mm Wheelhead Straight Chrome 90 Degree Elbow
	FDI240010ABYBHUK0	Matchmaster 10mm Wheelhead Angle

HVAC Code	Global Item Code	Item Description
	FDI240010ABYBHUK0	Chrome C/W Pushfit 90 Degree Elbow
	FDII60015AAYBHUK1	Decorative 15mm LS Or Wheelhead Straight Polished Chrome - Traditional
	FDII60015ABYBHUK1	Decorative 15mm LS Or Wheelhead Angle Polished Chrome - Traditional
	FDII80010AAYBHUK1	Decorative 10mm LS Or WH Strght Polished Chrome C/W Pushfit 90o Elbow
	FDII80010ABYBHUK1	Decorative 10mm LS Or WH Angle Polished Chrome C/W Pushfit 90o Elbow
	FDII80015AAYBHUK1	Decorative 15mm LS Or WH Strght Polished Chrome C/W Pushfit 90o Elbow
	FDII80015ABYBHUK1	Decorative 15mm LS Or WH Angle Polished Chrome C/W Pushfit 90o Elbow
	FDII90015AAYBHUK1	Decorative 15mm LS Or Wheelhead Straight Polished Chrome - Slimline
	FDII90015ABYBHUK1	Decorative 15mm LS Or Wheelhead Angle Polished Chrome - Slimline
	FDJG90015ABYBHOP0	Plus 15mm TRV Angle Chrome Pushfit
	FDJJ10010ABYBHOP0	Plus 10mm TRV Angle Chrome
	FDJJ10015ABYBHOP0	Plus 15mm TRV Angle Chrome
	FDJJ20010ABYBHUK0	Petite 10mm TRV angle chrome
	FDJJ20015AAYBHUK0	Petite 15mm TRV straight chrome
	FDJJ20015ABYBHUK0	Petite 15mm TRV angle chrome
	FDJJ30010ABYBHUK0	Petite 10mm TRV angle chrome c/w pushfit 90 degree elbow
	FDJJ30015ABYBHUK0	Petite 15mm TRV angle chrome c/w pushfit 90 degree elbow
	FDJN11510ABYBHUK0	TRV2 Radpack 10/15mm TRV2 & Matchmaster Lockshield Pack Angle Chrome
	FDJN20010ABYBHUK0	TRV2 Radpack 10mm TRV2 & Matchmate LS Pack Angle Chrome Pushfit
	FDJN20015ABYBHUK0	TRV2 Radpack 15mm TRV2 & Matchmate LS Pack Angle Chrome Pushfit
	FDJN30010ABYBHUK0	TRV2 Radpack 10mm TRV2 & Matchmate LS Pk Angle Chrome C/W PF 90o Elbow
	FDJN30015ABYBHUK0	TRV2 Radpack 15mm TRV2 & Matchmate LS Pk Angle Chrome C/W PF 90o Elbow
	FDJO30015AAYBHUK0	Petite Pack - 15mm Petite TRV & Matchmate LS straight chrome
	FDJO30015ABYBHUK0	Petite Pack - 15mm Petite TRV & Matchmate LS angle chrome
	FDJO40015ABYBHUK0	Petite Pack - 15mm Petite TRV &

HVAC Code	Global Item Code	Item Description
	FDJ040015ABYBHUK0	Matchmate LS angle chrome drain off
	FDJ050010ABYBHUK0	Petite Pack-10mm Petite TRV & Matchmate LS angle chrome DO-PF90 elbow
	FDJ060010ABYBHUK0	Petite Pack-10mm Petite TRV & Matchmate LS angle chrome - PF90 elbow
	FDJX10010AAYBHUK0	TRV2 10mm TRV Straight Chrome
	FDJX10010ABYBHUK0	TRV2 10mm TRV Angle Chrome
	FDJX10015AAYBHUK0	TRV2 15mm TRV Straight Chrome
	FDJX10015ABYBHUK0	TRV2 15mm TRV Angle Chrome
	FDJX10A15ABYBOUK0	TRV 15mm Or 1/2" Bsp TRV Angle Chrome Body Only
	FDJX11518ABYBHUK0	TRV2 8/10/15mm TRV Angle Chrome
	FDJX20010ABYBHUK0	TRV2 10mm TRV Angle Chrome C/W Pushfit 90 Degree Elbow
	FDJX30010ABYBHUK0	TRV2 10mm TRV Angle Chrome C/W Compression 90 Degree Elbow
	FDJX30015ABYBHUK0	TRV2 15mm TRV Angle Chrome C/W Pushfit 90 Degree Elbow
	FDJX40010AAYBHUK0	TRV2 10mm TRV Straight Chrome Pushfit
	F091104012010N00	Type 11 400h x 1200w - Plan Compact
	F091106023010N00	Type 11 600h x 2300w - Plan Compact
	F092203006010N00	Type 22 300h x 600w - Plan Compact
	F092106030010N00	Type 21 600h x 3000w - Plan Compact
	F091105010010N00	Type 11 500h x 1000w - Plan Compact
	F093305008010N00	Type 33 500h x 800w - Plan Compact
	F092205006010N00	Type 22 500h x 600w - Plan Compact
	F092206014010N00	Type 22 600h x 1400w - Plan Compact
	F091103014010N00	Type 11 300h x 1400w - Plan Compact
	F093303020010N00	Type 33 300h x 2000w - Plan Compact
	F092206026010N00	Type 22 600h x 2600w - Plan Compact
	F093306014010N00	Type 33 600h x 1400w - Plan Compact
	F092204010010N00	Type 22 400h x 1000w - Plan Compact
	F092203020010N00	Type 22 300h x 2000w - Plan Compact
	F091104016010N00	Type 11 400h x 1600w - Plan Compact
	F092205014010N00	Type 22 500h x 1400w - Plan Compact
	F091104014010N00	Type 11 400h x 1400w - Plan Compact
	F093306006010N00	Type 33 600h x 600w - Plan Compact
	F092106010010N00	Type 21 600h x 1000w - Plan Compact
	F093306018010N00	Type 33 600h x 1800w - Plan Compact
	F091106006010N00	Type 11 600h x 600w - Plan Compact

HVAC Code	Global Item Code	Item Description
	F092105006010N00	Type 21 500h x 600w - Plan Compact
	F093304020010N00	Type 33 400h x 2000w - Plan Compact
	F091106018010N00	Type 11 600h x 1800w - Plan Compact
	F093304008010N00	Type 33 400h x 800w - Plan Compact
	F093305020010N00	Type 33 500h x 2000w - Plan Compact
	F091105008010N00	Type 11 500h x 800w - Plan Compact
	F091104020010N00	Type 11 400h x 2000w - Plan Compact
	F093305018010N00	Type 33 500h x 1800w - Plan Compact
	F092106016010N00	Type 21 600h x 1600w - Plan Compact
	F092206004010N00	Type 22 600h x 400w - Plan Compact
	F092106008010N00	Type 21 600h x 800w - Plan Compact
	F092206010010N00	Type 22 600h x 1000w - Plan Compact
	F093303010010N00	Type 33 300h x 1000w - Plan Compact
	F092204004010N00	Type 22 400h x 400w - Plan Compact
	F092106026010N00	Type 21 600h x 2600w - Plan Compact
	F091106014010N00	Type 11 600h x 1400w - Plan Compact
	F092203010010N00	Type 22 300h x 1000w - Plan Compact
	F092204006010N00	Type 22 400h x 600w - Plan Compact
	F092106014010N00	Type 21 600h x 1400w - Plan Compact
	F091106012010N00	Type 11 600h x 1200w - Plan Compact
	F092206023010N00	Type 22 600h x 2300w - Plan Compact
	F091106026010N00	Type 11 600h x 2600w - Plan Compact
	F092105012010N00	Type 21 500h x 1200w - Plan Compact
	F092205010010N00	Type 22 500h x 1000w - Plan Compact
	F092203014010N00	Type 22 300h x 1400w - Plan Compact
	F091106004010N00	Type 11 600h x 400w - Plan Compact
	F092105016010N00	Type 21 500h x 1600w - Plan Compact
	F091106030010N00	Type 11 600h x 3000w - Plan Compact
	F091105018010N00	Type 11 500h x 1800w - Plan Compact
	F091104008010N00	Type 11 400h x 800w - Plan Compact
	F092205016010N00	Type 22 500h x 1600w - Plan Compact
	F092204018010N00	Type 22 400h x 1800w - Plan Compact
	F093306008010N00	Type 33 600h x 800w - Plan Compact
	F092206008010N00	Type 22 600h x 800w - Plan Compact
	F091105020010N00	Type 11 500h x 2000w - Plan Compact
	F092204020010N00	Type 22 400h x 2000w - Plan Compact
	F091104018010N00	Type 11 400h x 1800w - Plan Compact
	F091103006010N00	Type 11 300h x 600w - Plan Compact
	F092206020010N00	Type 22 600h x 2000w - Plan Compact
	F093306010010N00	Type 33 600h x 1000w - Plan Compact
	F091105016010N00	Type 11 500h x 1600w - Plan Compact

HVAC Code	Global Item Code	Item Description
	F093304014010N00	Type 33 400h x 1400w - Plan Compact
	F093305006010N00	Type 33 500h x 600w - Plan Compact
	F092206006010N00	Type 22 600h x 600w - Plan Compact
	F093305004010N00	Type 33 500h x 400w - Plan Compact
	F093305012010N00	Type 33 500h x 1200w - Plan Compact
	F092106020010N00	Type 21 600h x 2000w - Plan Compact
	F091104004010N00	Type 11 400h x 400w - Plan Compact
	F092205008010N00	Type 22 500h x 800w - Plan Compact
	F092206016010N00	Type 22 600h x 1600w - Plan Compact
	F093306012010N00	Type 33 600h x 1200w - Plan Compact
	F091106016010N00	Type 11 600h x 1600w - Plan Compact
	F092105018010N00	Type 21 500h x 1800w - Plan Compact
	F093306004010N00	Type 33 600h x 400w - Plan Compact
	F092105020010N00	Type 21 500h x 2000w - Plan Compact
	F093305016010N00	Type 33 500h x 1600w - Plan Compact
	F091104010010N00	Type 11 400h x 1000w - Plan Compact
	F092205020010N00	Type 22 500h x 2000w - Plan Compact
	F091106010010N00	Type 11 600h x 1000w - Plan Compact
	F092105010010N00	Type 21 500h x 1000w - Plan Compact
	F092204008010N00	Type 22 400h x 800w - Plan Compact
	F093304018010N00	Type 33 400h x 1800w - Plan Compact
	F092105004010N00	Type 21 500h x 400w - Plan Compact
	F091104006010N00	Type 11 400h x 600w - Plan Compact
	F093304016010N00	Type 33 400h x 1600w - Plan Compact
	F091106008010N00	Type 11 600h x 800w - Plan Compact
	F093306023010N00	Type 33 600h x 2300w - Plan Compact
	F091105014010N00	Type 11 500h x 1400w - Plan Compact
	F092204014010N00	Type 22 400h x 1400w - Plan Compact
	F092206030010N00	Type 22 600h x 3000w - Plan Compact
	F093306020010N00	Type 33 600h x 2000w - Plan Compact
	F093306016010N00	Type 33 600h x 1600w - Plan Compact
	F092206018010N00	Type 22 600h x 1800w - Plan Compact
	F093304010010N00	Type 33 400h x 1000w - Plan Compact
	F092106012010N00	Type 21 600h x 1200w - Plan Compact
	F093306026010N00	Type 33 600h x 2600w - Plan Compact
	F092106023010N00	Type 21 600h x 2300w - Plan Compact
	F092105014010N00	Type 21 500h x 1400w - Plan Compact
	F092205018010N00	Type 22 500h x 1800w - Plan Compact
	F092106004010N00	Type 21 600h x 400w - Plan Compact
	F093305014010N00	Type 33 500h x 1400w - Plan Compact
	F092106006010N00	Type 21 600h x 600w - Plan Compact

HVAC Code	Global Item Code	Item Description
	F091106020010N00	Type 11 600h x 2000w - Plan Compact
	F092205004010N00	Type 22 500h x 400w - Plan Compact
	F091105006010N00	Type 11 500h x 600w - Plan Compact
	F092204012010N00	Type 22 400h x 1200w - Plan Compact
	F092105008010N00	Type 21 500h x 800w - Plan Compact
	F093305010010N00	Type 33 500h x 1000w - Plan Compact
	F092204016010N00	Type 22 400h x 1600w - Plan Compact
	F092205012010N00	Type 22 500h x 1200w - Plan Compact
	F093306030010N00	Type 33 600h x 3000w - Plan Compact
	F092106018010N00	Type 21 600h x 1800w - Plan Compact
	F093303014010N00	Type 33 300h x 1400w - Plan Compact
	F093304006010N00	Type 33 400h x 600w - Plan Compact
	F091103010010N00	Type 11 300h x 1000w - Plan Compact
	F091105004010N00	Type 11 500h x 400w - Plan Compact
	F093304012010N00	Type 33 400h x 1200w - Plan Compact
	F093303006010N00	Type 33 300h x 600w - Plan Compact
	F093304004010N00	Type 33 400h x 400w - Plan Compact
	F092206012010N00	Type 22 600h x 1200w - Plan Compact
	F091103020010N00	Type 11 300h x 2000w - Plan Compact
	F091105012010N00	Type 11 500h x 1200w - Plan Compact
DEC15LWAC	FDII70015ABYBHUK1	
DEC15LWSC	FDII70015AAYBHUK1	
MASTER10WAC	FDI220010ABYBHUK0	
MASTER10WACPF	FDI250010ABYBHUK0	
MASTER151/2WAC	FDI220A15ABYBHUK0	
MASTER15LAC	FDI110015ABYBHUK0	
MASTERWHTOP	ADMY5000000YACUK3	
MATE1/2LACD	FDIG20B15ABYBHUK0	
MATE1/2WAC	FDII20B15ABYBHUK0	
MATE10LACPF	FDIG90010ABYBHUK0	
MATE10WACPF	FDII50010ABYBHUK0	
MATE15WAC	FDII20015ABYBHUK0	
MATE15WACPF	FDII50015ABYBHUK0	
MATELSTOP	ADMY8000000YACUK3	
PETPAK1/2AC	FDJO30B15ABYBHUK0	
PETPAK10AC	FDJO30010ABYBHUK0	
PETPAK10ACD	FDJO40010ABYBHUK0	
TRV210SCPF90	FDJX30010AAYBHUK0	
TRV215SCPF90	FDJX20015AAYBHUK0	
TRV2PAK15AC	FDJN10015ABYBHUK0	