

# Product Data Sheet

1/27/2025

## Plan Plus Compact

UK - Myson



- Refined finish
- Optimal heat distribution
- Decorative grille & side panels
- Suitable for low temperature systems
- Child-proof attachment

## Description

The Myson Plan range offers a modern alternative to traditional panel radiators with a minimalist design and leading performance. Plan Plus Compact features a decorative front panel, side panels, and a top grille. Available in Type 11, Type 21, and Type 22 profiles, and some vertical models.

## Area of Application

Plan Plus Compact is ideal for contemporary alternative to panel radiators, made of steel. It is suitable for 2 pipe pumped indirect domestic and commercial heating applications, with extensive types, lengths, and heights for easy replacements. Connections: 4 x 1/2" BSP.

## Selection Criteria

Use a Heat Loss Calculator to determine the required heat output from the Plan Plus Compact range. Available in Type 11, Type 21, and Type 22.

## Basic User Instructions

Air vent and plug packs are included in the packaging. Thermostatic Radiator Valves can be installed to control room temperature. The radiator is fitted with pre-assembled side panels and a decorative grille. Ensure wall brackets are properly mounted for optimal stability and safety.

## Prescription text specifiers

The Myson Plan Plus Compact radiator features a sleek flat steel plate, side panels, and a decorative top grille. Suitable for 2 pipe pumped indirect domestic and commercial heating applications, with Type 11, 21, and 22 profiles; Type 21 & 22 also available as vertical models. Connections: 4 x 1/2" BSP. Thermostatic Radiator Valves can be fitted for room temperature control. Specifications include working pressure up to 10 bar and maximum operating temperature of 100°C. Available in various heights and lengths.

## Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.\*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.\*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.\*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.\*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

\*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use

during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

# Specification

Feature	Unit	Value
Etim Class		EC010064 - Thermostatic control head for valve, EC010136 - Radiator stop valve, EC011022 - Panel radiator
Item weight	Kilogram (kg)	0.0037, 0.0077, 0.0112, 0.0182, 0.15 ... 7.79, 73.2, 8.558, 83.855, 94.511
Model		Other
Height	Millimetre (mm)	300, 400, 500, 600
Shape		Right-angled, Straight
Surface protection		Chromium-plated
Housing material		Brass
Operation		Manually operated
Automatic flow control		No
With straight tailpiece		Yes
Pressure independent		No
With dust cap		No
With compression set		No
Suitable for single pipe system		Yes
Suitable for two pipe system		Yes
Size of pipe connection		1/2 inch (15), 3/8 inch (10)
Size of radiator connection		1/2 inch (15)
Shortened construction length		No
Reverse direction of flow		Yes
Size of thermostatic adjustment element connection		M30 x 1.5
Can be preset		No
Presetting		None
Thermostatically prepared		Yes
With bent tailpiece		No
Colour		White
RAL-number		9016
Watt Per Meter	Watt per metre (W/m)	1198, 1288, 1444, 1676, 529, 680, 823, 937, 961
Mounting direction		Horizontal
Factor K		1.802, 10.16, 10.893, 11.083, 11.298 ... 9.236, 9.684, 9.804, 9.922, 9.983
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		1003, 1020, 1160, 1167, 1204 ... 873, 908, 938, 966, 986
Max. operating temperature	Degrees celsius (°C)	110

Feature	Unit	Value
Number of wall brackets		2, 3
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		10294, 1082, 1123, 11437, 1310 ... 8868, 9151, 928, 9837, 9854
Depth	Millimetre (mm)	104, 63, 72
Collapsible		No
Type		11, 21, 22
Length	Millimetre (mm)	1000, 1200, 1400, 1600, 1800, 2000, 2300, 2600, 3000, 400, 600, 800
Material		Steel
Water content	Litre (l)	1, 10, 11, 12, 14, 16, 18, 2, 3, 4, 5, 6, 7, 8, 9
With mounting material		Yes
Water-bearing front panel		Yes
Surface structure front side panel		Flat smooth
Heat emission according to EN 442 20 °C Watt (W) - 55/45		1020, 1030, 1063, 1104, 1148 ... 898, 930, 965, 982, 998
Recessed towel holder		No
Connection 2, left side low		Inlet/outlet flow
Connection 3, left side top		Inlet flow
Connection 6, right side top		Inlet flow
Connection 7, right side low		Inlet/outlet flow
Number of standard connections		4
Welded-on strips		Yes
With drain valve		No
With de-aerator		Yes
With de-aeration connection		Yes
Max. operating pressure	Bar (bar)	10
With drain possibility (connection)		Yes
Thread connection		Internal thread
With towel holder		No
Thread size (inch)		1/2 inch
Heat emission according to EN 442 20 °C Watt (W) - 75/65		1006, 1030, 1058, 1088, 1152 ... 937, 952, 958, 961, 988
N-exponent		1.282, 1.2824, 1.2827, 1.2831, 1.2967, 1.3, 1.3098, 1.3197, 1.3295
With side lining		Yes
With single-point connection		No
With integrated thermostatic valve		No
With wall brackets		Yes
With blind stops		No
With top cladding		Yes
Heat emission according to EN 442 laboratory		Yes

<b>Feature</b>	<b>Unit</b>	<b>Value</b>
Suitable for electrical element		No
With electrical element		No
Suitable for damp space		No
Standard colour		Yes
Degree of gloss		Glossy

# Resources

Document Description	Document Type	Link
		<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_ec73b6d5-1bc0-4b64-b6d8-f0aa55c958f4">https://asset.productmarketingcloud.com/api/assetstorage/3577_ec73b6d5-1bc0-4b64-b6d8-f0aa55c958f4</a>
		<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_53e08d26-0953-40d1-8f18-864433c88a11">https://asset.productmarketingcloud.com/api/assetstorage/3577_53e08d26-0953-40d1-8f18-864433c88a11</a>
Myson Complete Solutions - Full Brochure	Brochure	<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b">https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b</a>
Myson Plan Range Brochure	Brochure	<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_12a914cb-8292-42b9-b033-d2700ab49b1d">https://asset.productmarketingcloud.com/api/assetstorage/3577_12a914cb-8292-42b9-b033-d2700ab49b1d</a>
Myson Premium Panel Radiators Range	Brochure	<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_dbbb4886-bcb4-4852-95a7-59ce12e05cfb">https://asset.productmarketingcloud.com/api/assetstorage/3577_dbbb4886-bcb4-4852-95a7-59ce12e05cfb</a>
		<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_8cf2e2c6-e0ac-4450-b1b9-07f0a0ad8cd6">https://asset.productmarketingcloud.com/api/assetstorage/3577_8cf2e2c6-e0ac-4450-b1b9-07f0a0ad8cd6</a>
Myson Premium Panel & Designer Radiators	Brochure	<a href="https://asset.productmarketingcloud.com/api/assetstorage/3577_3d4bf218-6a5c-42b1-9724-4392ee2b378c">https://asset.productmarketingcloud.com/api/assetstorage/3577_3d4bf218-6a5c-42b1-9724-4392ee2b378c</a>

# Items

HVAC Code	Global Item Code	Item Description
	FDIG20015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome Drain Off
	FDII40015ABYBHUK0	Matchmate 15mm Wheelhead Angle Chrome C/W Pushfit 90 Degree Elbow
	FDII20B15AAYBHUK0	Matchmate 1/2" & #34; Olive Wheelhead Straight Chrome
	FDIG10B15AAYBHUK0	Matchmate 1/2" & #34; Olive Lockshield Straight Chrome
	FDII20015AAYBHUK0	Matchmate 15mm Wheelhead Straight Chrome
	FDII20010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome
	FDIG10015AAYBHUK0	Matchmate 15mm Lockshield Straight Chrome
	FDII40010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome C/W Pushfit 90 Degree Elbow
	FDIG90015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome Pushfit
	FDIG10010ABYBHUK0	Matchmate 10mm Lockshield Angle

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	FDIG10010ABYBHUK0	Chrome
	FDIG70010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome Drain Off Pushfit
	FDIG60010ABYBHUK0	Matchmate 10mm LS Angle Chrome Drain Off C/W Compression 90o Elbow
	FDIG20010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome Drain Off
	ADMY9000000YACUK3	Matchmate Wheelhead Top Only
	FDII30010ABYBHUK0	Matchmate 10mm Wheelhead Angle Chrome C/W Compression 90 Degree Elbow
	FDIG80015ABYBHUK0	Matchmate 15mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDII10010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDIG10B15ABYBHUK0	Matchmate 1/2" Olive Lockshield Angle Chrome
	FDIG10015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome
	FDIG50010ABYBHUK0	Matchmate 10mm Lockshield Angle Chrome C/W Compression 90 Degree Elbow
	FDIG90010AAYBHUK0	Matchmate 10mm Lockshield Straight Chrome Pushfit
	FDIG80010ABYBHUK0	Matchmate 10mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDII10015ABYBHUK0	Matchmate 15mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	ADMY4000000YACUK3	Matchmaster Lockshield Top Only
	ADMY6000000YACUK3	Fullflow Lockshield & Wheelhead Tops Only
	FDI110010AAYBHUK0	Matchmaster 10mm Lockshield Straight Chrome Pushfit
	FDI110010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome
	FDI110015AAYBHUK0	Matchmaster 15mm Lockshield Straight Chrome
	FDI110A15AAYBHUK0	Matchmaster 15mm Or 1/2" Bsp Lockshield Straight Chrome
	FDI110A15AAYBHUK1	Fullflow 15mm / 1/2" Copper Or 1/2" Bsp Lockshield Straight Chrome
	FDI110A15ABYBHUK0	Matchmaster 15mm Or 1/2" Bsp



<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	FDI110A15ABYBHUK0	Lockshield Angle Chrome
	FDI110A15ABYBHUK1	Fullflow 15mm / 1/2" Bsp Lockshield Angle Chrome
	FDI120010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome Drain Off
	FDI120015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome Drain Off
	FDI170015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome Drain Off Pushfit
	FDI180010ABYBHUK0	Matchmaster 10mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDI180015ABYBHUK0	Matchmaster 15mm LS Angle Chrome Drain Off C/W Pushfit 90 Degree Elbow
	FDI190010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome Pushfit
	FDI210010AAYBHUK0	Matchmaster 10mm Lockshield Straight Chrome Pushfit 90 Degree Elbow
	FDI210010ABYBHUK0	Matchmaster 10mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDI210015AAYBHUK0	Matchmaster 15mm LS Straight Chrome C/W Pushfit 90 Degree Elbow
	FDI210015ABYBHUK0	Matchmaster 15mm Lockshield Angle Chrome C/W Pushfit 90 Degree Elbow
	FDI220015AAYBHUK0	Matchmaster 15mm Wheelhead Straight Chrome
	FDI220015ABYBHUK0	Matchmaster 15mm Wheelhead Angle Chrome
	FDI220A15AAYBHUK0	Matchmaster 15mm Or 1/2" Bsp Wheelhead Straight Chrome
	FDI220A15AAYBHUK1	Fullflow 15mm / 1/2" Bsp Wheelhead Straight Chrome
	FDI220A15ABYBHUK1	Fullflow 15mm / 1/2" Bsp Wheelhead Angle Chrome
	FDI240010AAYBHUK0	Matchmaster 10mm Wheelhead Straight Chrome 90 Degree Elbow
	FDI240010ABYBHUK0	Matchmaster 10mm Wheelhead Angle Chrome C/W Pushfit 90 Degree Elbow
	FDII60015AAYBHUK1	Decorative 15mm LS Or Wheelhead Straight Polished Chrome - Traditional
	FDII60015ABYBHUK1	Decorative 15mm LS Or Wheelhead Angle Polished Chrome - Traditional
	FDII80010AAYBHUK1	Decorative 10mm LS Or WH Strght

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	FDII80010AAYBHUK1	Polished Chrome C/W Pushfit 90o Elbow
	FDII80010ABYBHUK1	Decorative 10mm LS Or WH Angle Polished Chrome C/W Pushfit 90o Elbow
	FDII80015AAYBHUK1	Decorative 15mm LS Or WH Strght Polished Chrome C/W Pushfit 90o Elbow
	FDII80015ABYBHUK1	Decorative 15mm LS Or WH Angle Polished Chrome C/W Pushfit 90o Elbow
	FDII90015AAYBHUK1	Decorative 15mm LS Or Wheelhead Straight Polished Chrome - Slimline
	FDII90015ABYBHUK1	Decorative 15mm LS Or Wheelhead Angle Polished Chrome - Slimline
	FDJG90015ABYBHOP0	Plus 15mm TRV Angle Chrome Pushfit
	FDJJ10010ABYBHOP0	Plus 10mm TRV Angle Chrome
	FDJJ10015ABYBHOP0	Plus 15mm TRV Angle Chrome
	FDJJ20010ABYBHUK0	Petite 10mm TRV angle chrome
	FDJJ20015AAYBHUK0	Petite 15mm TRV straight chrome
	FDJJ20015ABYBHUK0	Petite 15mm TRV angle chrome
	FDJJ30010ABYBHUK0	Petite 10mm TRV angle chrome c/w pushfit 90 degree elbow
	FDJJ30015ABYBHUK0	Petite 15mm TRV angle chrome c/w pushfit 90 degree elbow
	FDJN11510ABYBHUK0	TRV2 Radpack 10/15mm TRV2 & Matchmaster Lockshield Pack Angle Chrome
	FDJN20010ABYBHUK0	TRV2 Radpack 10mm TRV2 & Matchmate LS Pack Angle Chrome Pushfit
	FDJN20015ABYBHUK0	TRV2 Radpack 15mm TRV2 & Matchmate LS Pack Angle Chrome Pushfit
	FDJN30010ABYBHUK0	TRV2 Radpack 10mm TRV2 & Matchmate LS Pk Angle Chrome C/W PF 90o Elbow
	FDJN30015ABYBHUK0	TRV2 Radpack 15mm TRV2 & Matchmate LS Pk Angle Chrome C/W PF 90o Elbow
	FDJO30015AAYBHUK0	Petite Pack - 15mm Petite TRV & Matchmate LS straight chrome
	FDJO30015ABYBHUK0	Petite Pack - 15mm Petite TRV & Matchmate LS angle chrome
	FDJO40015ABYBHUK0	Petite Pack - 15mm Petite TRV & Matchmate LS angle chrome drain off
	FDJO50010ABYBHUK0	Petite Pack-10mm Petite TRV & Matchmate LS angle chrome DO-PF90 elbow
	FDJO60010ABYBHUK0	Petite Pack-10mm Petite TRV & Matchmate LS angle chrome - PF90

HVAC Code	Global Item Code	Item Description
	FDJO60010ABYBHUK0	elbow
	FDJX10010AAYBHUK0	TRV2 10mm TRV Straight Chrome
	FDJX10010ABYBHUK0	TRV2 10mm TRV Angle Chrome
	FDJX10015AAYBHUK0	TRV2 15mm TRV Straight Chrome
	FDJX10015ABYBHUK0	TRV2 15mm TRV Angle Chrome
	FDJX10A15ABYBOUK0	TRV 15mm Or 1/2" Bsp TRV Angle Chrome Body Only
	FDJX11518ABYBHUK0	TRV2 8/10/15mm TRV Angle Chrome
	FDJX20010ABYBHUK0	TRV2 10mm TRV Angle Chrome C/W Pushfit 90 Degree Elbow
	FDJX30010ABYBHUK0	TRV2 10mm TRV Angle Chrome C/W Compression 90 Degree Elbow
	FDJX30015ABYBHUK0	TRV2 15mm TRV Angle Chrome C/W Pushfit 90 Degree Elbow
	FDJX40010AAYBHUK0	TRV2 10mm TRV Straight Chrome Pushfit
	F0I1103010010N00	Type 11 300h x 1000w - Plan Compact Plus
	F0I1105014010N00	Type 11 500h x 1400w - Plan Compact Plus
	F0I2206004010N00	Type 22 600h x 400w - Plan Compact Plus
	F0I2205010010N00	Type 22 500h x 1000w - Plan Compact Plus
	F0I1104020010N00	Type 11 400h x 2000w - Plan Compact Plus
	F0I1103020010N00	Type 11 300h x 2000w - Plan Compact Plus
	F0I1104012010N00	Type 11 400h x 1200w - Plan Compact Plus
	F0I2206020010N00	Type 22 600h x 2000w - Plan Compact Plus
	F0I2106008010N00	Type 21 600h x 800w - Plan Compact Plus
	F0I2106018010N00	Type 21 600h x 1800w - Plan Compact Plus
	F0I2204018010N00	Type 22 400h x 1800w - Plan Compact Plus
	F0I1103014010N00	Type 11 300h x 1400w - Plan Compact Plus
	F0I1106014010N00	Type 11 600h x 1400w - Plan Compact Plus
	F0I1104018010N00	Type 11 400h x 1800w - Plan Compact Plus

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	F0I1104008010N00	Type 11 400h x 800w - Plan Compact Plus
	F0I1105006010N00	Type 11 500h x 600w - Plan Compact Plus
	F0I1106016010N00	Type 11 600h x 1600w - Plan Compact Plus
	F0I1106026010N00	Type 11 600h x 2600w - Plan Compact Plus
	F0I2106020010N00	Type 21 600h x 2000w - Plan Compact Plus
	F0I2206023010N00	Type 22 600h x 2300w - Plan Compact Plus
	F0I2205020010N00	Type 22 500h x 2000w - Plan Compact Plus
	F0I1104004010N00	Type 11 400h x 400w - Plan Compact Plus
	F0I2106012010N00	Type 21 600h x 1200w - Plan Compact Plus
	F0I1105004010N00	Type 11 500h x 400w - Plan Compact Plus
	F0I2204016010N00	Type 22 400h x 1600w - Plan Compact Plus
	F0I2206014010N00	Type 22 600h x 1400w - Plan Compact Plus
	F0I1104016010N00	Type 11 400h x 1600w - Plan Compact Plus
	F0I2203020010N00	Type 22 300h x 2000w - Plan Compact Plus
	F0I1106008010N00	Type 11 600h x 800w - Plan Compact Plus
	F0I1106030010N00	Type 11 600h x 3000w - Plan Compact Plus
	F0I2106006010N00	Type 21 600h x 600w - Plan Compact Plus
	F0I2205018010N00	Type 22 500h x 1800w - Plan Compact Plus
	F0I2203006010N00	Type 22 300h x 600w - Plan Compact Plus
	F0I2106010010N00	Type 21 600h x 1000w - Plan Compact Plus
	F0I2205014010N00	Type 22 500h x 1400w - Plan Compact Plus
	F0I2205012010N00	Type 22 500h x 1200w - Plan Compact Plus

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	F0I2205012010N00	Plus
	F0I2206008010N00	Type 22 600h x 800w - Plan Compact Plus
	F0I1103006010N00	Type 11 300h x 600w - Plan Compact Plus
	F0I2206016010N00	Type 22 600h x 1600w - Plan Compact Plus
	F0I1106006010N00	Type 11 600h x 600w - Plan Compact Plus
	F0I2106016010N00	Type 21 600h x 1600w - Plan Compact Plus
	F0I1106012010N00	Type 11 600h x 1200w - Plan Compact Plus
	F0I2204010010N00	Type 22 400h x 1000w - Plan Compact Plus
	F0I2203014010N00	Type 22 300h x 1400w - Plan Compact Plus
	F0I1106020010N00	Type 11 600h x 2000w - Plan Compact Plus
	F0I2206006010N00	Type 22 600h x 600w - Plan Compact Plus
	F0I1104014010N00	Type 11 400h x 1400w - Plan Compact Plus
	F0I2204006010N00	Type 22 400h x 600w - Plan Compact Plus
	F0I2206018010N00	Type 22 600h x 1800w - Plan Compact Plus
	F0I1106004010N00	Type 11 600h x 400w - Plan Compact Plus
	F0I1105016010N00	Type 11 500h x 1600w - Plan Compact Plus
	F0I1105020010N00	Type 11 500h x 2000w - Plan Compact Plus
	F0I2106014010N00	Type 21 600h x 1400w - Plan Compact Plus
	F0I1104006010N00	Type 11 400h x 600w - Plan Compact Plus
	F0I1105010010N00	Type 11 500h x 1000w - Plan Compact Plus
	F0I1105012010N00	Type 11 500h x 1200w - Plan Compact Plus
	F0I2203010010N00	Type 22 300h x 1000w - Plan Compact Plus

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
	F0I1105018010N00	Type 11 500h x 1800w - Plan Compact Plus
	F0I1106018010N00	Type 11 600h x 1800w - Plan Compact Plus
	F0I2205006010N00	Type 22 500h x 600w - Plan Compact Plus
	F0I2204004010N00	Type 22 400h x 400w - Plan Compact Plus
	F0I1104010010N00	Type 11 400h x 1000w - Plan Compact Plus
	F0I2206026010N00	Type 22 600h x 2600w - Plan Compact Plus
	F0I2205004010N00	Type 22 500h x 400w - Plan Compact Plus
	F0I2206012010N00	Type 22 600h x 1200w - Plan Compact Plus
	F0I2204008010N00	Type 22 400h x 800w - Plan Compact Plus
	F0I2204012010N00	Type 22 400h x 1200w - Plan Compact Plus
	F0I1106010010N00	Type 11 600h x 1000w - Plan Compact Plus
	F0I2204014010N00	Type 22 400h x 1400w - Plan Compact Plus
	F0I1106023010N00	Type 11 600h x 2300w - Plan Compact Plus
	F0I2205016010N00	Type 22 500h x 1600w - Plan Compact Plus
	F0I1105008010N00	Type 11 500h x 800w - Plan Compact Plus
	F0I2204020010N00	Type 22 400h x 2000w - Plan Compact Plus
	F0I2206030010N00	Type 22 600h x 3000w - Plan Compact Plus
	F0I2205008010N00	Type 22 500h x 800w - Plan Compact Plus
	F0I2106004010N00	Type 21 600h x 400w - Plan Compact Plus
	F0I2206010010N00	Type 22 600h x 1000w - Plan Compact Plus
DEC15LWAC	FDII70015ABYBHUK1	
DEC15LWSC	FDII70015AAYBHUK1	
MASTER10WAC	FDI220010ABYBHUK0	

<b>HVAC Code</b>	<b>Global Item Code</b>	<b>Item Description</b>
MASTER10WACPF	FDI250010ABYBHUK0	
MASTER151/2WAC	FDI220A15ABYBHUK0	
MASTER15LAC	FDI110015ABYBHUK0	
MASTERWHTOP	ADMY5000000YACUK3	
MATE1/2LACD	FDIG20B15ABYBHUK0	
MATE1/2WAC	FDII20B15ABYBHUK0	
MATE10LACPF	FDIG90010ABYBHUK0	
MATE10WACPF	FDII50010ABYBHUK0	
MATE15WAC	FDII20015ABYBHUK0	
MATE15WACPF	FDII50015ABYBHUK0	
MATELSTOP	ADMY8000000YACUK3	
PETPAK1/2AC	FDJO30B15ABYBHUK0	
PETPAK10AC	FDJO30010ABYBHUK0	
PETPAK10ACD	FDJO40010ABYBHUK0	
TRV210SCPF90	FDJX30010AAYBHUK0	
TRV215SCPF90	FDJX20015AAYBHUK0	
TRV2PAK15AC	FDJN10015ABYBHUK0	