


Product Data Sheet

12/17/2024

Accessories (fixing)

Floortec Pipe Insulation

UK - Myson



- **Ease of Installation**
- **Thermal Efficiency**
- **Durability**
- **Compatibility**
- **Cost-Effective**

Description

Floortec insulated pipe sleeve insulates the transitional pipework between the manifold and the underfloor heating zone.

Area of Application

Floortec Pipe Insulation is ideal for insulating transitional pipework between the manifold and the underfloor heating zone. It provides effective thermal insulation, minimizing heat loss and enhancing the efficiency of underfloor heating systems. Suitable for residential and commercial applications.

Selection Criteria

For product selection, use our design service, or for a quick selection use our brochure.

Basic User Instructions

Install Floortec Pipe Insulation around the pipework between the manifold and the underfloor heating zone to minimize heat loss. Ensure the insulation sleeve is securely fitted and covers the entire length of the pipework. Regularly check for any wear or damage and replace if necessary to maintain optimal performance.

Prescription text specifiers

Floortec Pipe Insulation is a red insulated sleeve designed to cover and insulate transitional pipework between the manifold and the underfloor heating zone. This sleeve is essential for reducing heat loss and improving the efficiency of underfloor heating systems. It offers easy installation, robust durability, and is compatible with various underfloor heating setups. The insulation sleeve ensures that the thermal integrity is maintained, providing consistent and efficient heating performance throughout the system. Suitable for both residential and commercial applications, it is a cost-effective solution for enhancing system performance.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the

product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC000406 - Thermal insulation
Application		Other
Model		Soft foam
Thickness	Millimetre (mm)	0.4
Item width	Millimetre (mm)	18
Item weight	Kilogram (kg)	0.192

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Underfloor Heating Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1be94879-adf6-4cac-b5ef-6f38e377031f
Range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_3e6c4df2-7006-4133-88db-1026c6c421d2

Items

Local Code	Global Item Code	Item Description
50069	FBUPIPEFB5001510	Red Insulated Pipe Sleeve (20m Roll)