


Product Data Sheet

12/17/2024

Towel Warmers

Kasai

UK - Myson



- Stylish, eye-catching design.
- Textured, metallic and shimmer finishes.
- Ample room for warming and drying towels.
- Dual fuel kit available.
- Versatile design.

Description

Kasai demands attention with its unique, offset tube design and modern flair. Available in varied RAL or metallic finishes, it is a versatile addition to any bathroom or living space. The offset heating tubes enhance the drying of textiles and towels. Suitable for hydronic systems and dual fuel options available.

Area of Application

Kasai is ideal for bathroom and living spaces, serving both decorative and functional purposes. Best for environments requiring a pressure of up to 10 bar, connections of 4 x ½" BSP as standard, dual fuel options, and available in various RAL or metallic finishes.

Selection Criteria

Range of sizes and heat outputs available. For precise selection, refer to our design service or quick selection brochure.

Basic User Instructions

Kasai should be installed with Radiator Valves or Thermostatic Radiator Valves for optimal room temperature control. The ECO 450 Dual Fuel Heater Kit can be installed for year-round use without turning on central heating.

Prescription text specifiers

The Kasai towel radiator from Myson is a striking and highly individual round tube towel warmer. Manufactured from steel, it features offset tubes for a modern look, and is available in selected RAL or metallic finishes. Suitable for hydronic heating systems with optional ECO450 dual fuel heater kit, it operates up to a pressure of 10 bar and comes with 4 x ½" BSP connection possibilities. Brackets, air vent, and plug are supplied. Finished in RAL 9016 or custom colors, it makes an excellent addition to any bathroom or living space. Carries CE & UKCA marks and is produced under quality management systems ISO 9001:2015, ISO 14001:2015, and OHSAS 18001.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		30, 36
Height	Millimetre (mm)	1262, 1500
Length	Millimetre (mm)	600
Depth	Millimetre (mm)	87
Depth from wall to front side min	Millimetre (mm)	88 - 125
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 °C Watt (W) - 55/45		323, 383
Heat emission according to EN 442 20 °C Watt (W) - 75/65		613, 724
Heat emission according to EN 442 20 °C Watt (W) - 70/40		362
N-exponent		1.2468, 1.253
Max. operating pressure	Bar (bar)	10
Water content	Litre (l)	5.3, 6.1
With fan heater		No
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Surface protection		Lacquered
Suitable for damp space		Yes
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2

Feature	Unit	Value
Connection TC, top center		Double connection, inlet-outlet
Connection 8, bottom right		Double connection, inlet-outlet
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Vertical
Factor K		4.557, 5.514
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		1102, 1307
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		4
Variant		Straight
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		2092, 2470
Watt Absolute	Watt (W)	613, 724
Item weight	Kilogram (kg)	13.3, 16

Resources

Document Description	Document Type	Link
Myson Contemporary Towel Warmer Range Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_ae11a75b-1ad9-4356-a6c2-b287c1d6c94c
Myson Kasai Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_cc02595d-5345-414d-a165-ec5f56b9c039
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Towel Warmer Accessory Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_4fe4000e-8d2d-4051-b8f8-c369afc56a1a
Colour options	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_f65456e4-6139-44cf-9d1d-0515ae484ab6
Myson Towel Warmers - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5781fce0-5efe-4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
CAP1W	F4IA013006000000	1262h x 600w - Kasai
CAP2W	F4IA015006000000	1502h x 600w - Kasai