

Product Data Sheet

9/2/2024

Insulation Panels

Border Insulation

UK - Myson



- Flexible foam edging
- Versatile use
- Self-adhesive option
- Welded foil flap
- Convenient roll size

Description

Myson's Border Insulation is for use with liquid screeds and underfloor heating. The flexible foam edging strip is fitted to the base of the perimeter walls to give an expansion gap. Supplied in a 30m roll. Width 160mm, thickness 8mm.

Area of Application

PE edge insulation strips with welded-on film flap and tear-off slits for the safe production of edge joints. Both self-adhesive and non-self-adhesive versions are available. It features a welded foil flap and is suitable for various applications in underfloor heating and liquid screeds.

Selection Criteria

For selecting the product or calculating the system, use our technical documents, product manuals, our design service, or contact us via e-mail or phone.

Basic User Instructions

For selecting the product or calculating the system, use our technical documents, product manuals, our design service, or contact us via e-mail or phone. Ensure that the strip is fitted correctly to provide an expansion gap and prevent damage. For self-adhesive options, ensure that the surface is clean and dry before application to ensure optimal adhesion.

Prescription text specifiers

Myson Border Insulation is a PE edge insulation strip with a welded-on film flap and tear-off slits for the safe production of edge joints. Available in both self-adhesive and non-self-adhesive forms with a welded foil flap. The product is designed to be fitted to the base of perimeter walls, providing an essential expansion gap for underfloor heating and liquid screeds. It comes in a 30m roll, 160mm in width, and 8mm in thickness. This makes it ideal for a variety of applications, offering ease of installation and reliable performance. For any calculation or selection needs, refer to our technical documents or contact us.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
---------	------	-------

Resources

Document Description	Document Type	Link
----------------------	---------------	------

Items

Local Code	Global Item Code	Item Description
------------	------------------	------------------
