


Product Data Sheet

10/21/2024

Cliprail

UK - Myson



- Suitable for traditional & liquid screeds
- Cost-effective underfloor heating fixing system
- Easy to install
- Securely attaches pipework
- Robust U-shaped channels

Description

Myson Cliprail systems securely attach Floortec underfloor heating pipework to floor insulation using robust U-shaped channels. This cost-effective solution is ideal for both traditional and liquid screeds. The pipe is laid in a serpentine pattern, providing optimal heat distribution.

Area of Application

The Cliprail is ideal for solid floor constructions, supporting both traditional and liquid screeds. It's designed for attaching Myson Floortec underfloor heating pipework to floor insulation. Suitable for residential, commercial, and renovation projects involving floor heating.

Selection Criteria

For detailed selection and calculation, use our design service. For a quick selection, refer to our brochure.

Basic User Instructions

Install the Cliprail U-profiles on the floor insulation using the supplied pins. Ensure the underfloor heating pipework is securely attached to the Cliprail. Follow the prescribed serpentine laying pattern, routing hotter pipes to higher heat loss areas first. No floor insulation is provided with the system.

Prescription text specifiers

Myson Cliprail is a reliable and efficient system for attaching underfloor heating pipes to floor insulation. It features robust 1m U-shaped channels with fixing positions every 50mm, suitable for both traditional and liquid screeds. The pipes are laid in a serpentine pattern, making the Cliprail ideal for various heating projects. Installation does not include floor insulation. The product is fast, cost-effective, and ensures secure pipe attachment, making it perfect for residential, commercial, and renovation projects involving underfloor heating.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC010381 - Accessories/spare parts for floor heating
Item weight	Kilogram (kg)	0.01, 0.346, 0.75, 23.2

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Underfloor Heating Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1be94879-adf6-4cac-b5ef-6f38e377031f
Range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_3e6c4df2-7006-4133-88db-1026c6c421d2

Items

Global Item Code	Item Description
FBJIAUCL000000A0	Floortec Pipestaples Cliprail (500)
FBJIU051420100A0	Floortec Cliprail 14-20mm
FBJIU05171720010	17mm Pipe Cliprail 2m
FBJIU05202020010	20mm Pipe Clip Rail