


Product Data Sheet

9/1/2024

Thermostatic Radiator Valves & Heads

Twin Entry Valves

UK - Myson



- Suitable for central connection
- Straight or angled
- Reversible flow
- Nut & olive included
- Easy installation

Description

Central connection allows for any size radiator to be installed once pipes have been placed, and it provides the most effective water distribution method. Myson Twin Entry Valves for central connection are supplied with a nut & olive included. Options available include straight or angled and twin entry reversible flow.

Area of Application

Twin Entry Valves are suitable for use with T6 Technology, T6 Compact, T6 Plan, and ULOW E2 radiators. These are ideal for central connection in both residential and commercial heating systems. They ensure efficient water distribution and flexibility in installation with reversible flow options.

Selection Criteria

Use our design service for precise selection, or consult our brochure for quick comparison of available options.

Basic User Instructions

Install twin entry valves by following the included installation instructions. Ensure the correct fitting of the nut and olive, and select between the straight or angled options based on your piping setup. These valves are compatible with central connections, accommodating any radiator size once pipes are in place. Utilize reversible flow for optimal water distribution.

Prescription text specifiers

Myson Twin Entry Valves are ideal for central connection in T6 Technology, T6 Compact, T6 Plan, and ULOW E2 radiator systems. They provide efficient water distribution and are equipped with a nut & olive for easy installation. Available in straight or angled and twin entry reversible flow configurations. Suitable for residential and commercial systems, ensuring versatile and optimal performance. Maximum operating pressure is 13 bar, and the valves come with a 10-year guarantee against manufacturing defects.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC010077 - Bottom H-block
Material		Brass
Size of radiator connection		3/4 inch external thread
Size of pipe connection		3/4 inch Euroconus
Connection direction towards floor (straight)		No
Connection direction towards wall (square)		Yes
Suitable for two pipe system		Yes
Suitable for single pipe system		No
Surface protection		Nickel-plated
Lockable		No
Adjustable		No
Self-controlling		No
Thermostatically prepared		No
Suitable for filling/drain tap		No
Four-way supply/return connection		No
Centre distance, supply/return	Millimetre (mm)	50
Length	Millimetre (mm)	80
Item height	Millimetre (mm)	43.5
Item depth	Millimetre (mm)	39.7
Item weight	Kilogram (kg)	0.27, 0.275

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Valves Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_ef75e07a-fa70-492a-aa8a-b717c52c3ce7

Items

Local Code	Global Item Code	Item Description
TEVA	AZ07MVTWENVAAN1SNICK	Twin Entry Valve - Angled
TEVS	AZ07MVTWENVAST1SNICK	Twin Entry Valve - Straight