Product Data Sheet 12/17/2024

Towel Warmers

Dee

UK - Myson



- Radiator and towel rail combi
- High-quality chrome finish
- Traditional design
- Dual fuel kit available
- High heat output

Description

The Myson Dee is a high quality, floor-standing combination radiator and towel rail that will add a classic, vintage feel to your bathroom. The stylish column radiator nestled in between a traditional elegant chrome frame offers you the best of both worlds; high heat output and a convenient heated towel rail. Suitable for hydronic heating systems, and optional dual fuel.

Area of Application

Traditional style towel warmer made of high-quality brass. Ideal for both domestic and commercial heating applications using a 2-pipe pumped indirect system. Can be equipped with a Dual Fuel Heater Kit for use during warmer months.

Selection Criteria

Range of sizes and heat outputs available. For detailed selection, use our brochure or design service.

Basic User Instructions

Install the Dee with Radiator Valves or Thermostatic Radiator Valves to control room temperature. For use in warmer months without activating the entire heating system, install a PTC Dual Fuel Heater Kit, which is self-regulating.

Prescription text specifiers

The Dee offers a high-quality combination of a column radiator and towel rail, made of steel and brass with a polished chrome finish. Suitable for domestic and commercial 2-pipe indirect systems. Comes with brackets, air vent, and plug. Can be equipped with a PTC Dual Fuel Heater Kit for year-round use. Available in multiple sizes and heat outputs, manufactured and tested to BS EN 442 standards. With a working pressure up to 7.4 bar and integrated air vents, the Dee combines classic style with modern efficiency. Ideal for achieving a vintage bathroom feel. 10-year warranty from purchase date.

If you need further customization or additional information, feel free to ask!

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty. Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- · Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & toolingfrom date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.
- *Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear. Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		4, 8, 10, 12
Height	Millimetre (mm)	955
Length	Millimetre (mm)	476, 676, 776, 876
Depth	Millimetre (mm)	216
Depth from wall to front side min	Millimetre (mm)	116 - 216
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 - 55/45	°C Watt (W)	226, 322, 370, 419
Heat emission according to EN 442 20 - 75/65	°C Watt (W)	423, 602, 692, 783
Heat emission according to EN 442 20 - 70/40	°C Watt (W)	423, 655, 1187
N-exponent		1.2442
Max. operating pressure	Bar (bar)	5.3
With fan heater		No
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Surface protection		Lacquered
Suitable for damp space		Yes
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2
Connection 1, bottom left		Inlet/outlet flow
4 Product Data Sheet Dee 12/17/2024		

Feature	Unit	Value
Connection 8, bottom right		Inlet/outlet flow
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Horizontal
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		771, 1099, 1262, 1430
Max. operating temperature	Degrees celsius (°C)	110
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		1443, 2054, 2361, 2672
Watt Absolute	Watt (W)	423, 602, 692, 783
Item weight	Kilogram (kg)	15.6, 21.3, 24.4, 27

Resources

Document Description	Document Type	Link
Myson Dee Brochure	Brochure	https://asset.productmarketingcloud.co m/api/assetstorage/3577_2b4a432a-0cc 5-4f65-97c6-889cb53a74f9
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.co m/api/assetstorage/3577_24872a57-c3a 5-4956-ab4b-dfa3b522c19b
Myson Towel Warmer Accessory Brochure	Brochure	https://asset.productmarketingcloud.co m/api/assetstorage/3577_4fe4000e-8d2 d-4051-b8f8-c369afc56a1a
Myson Traditional Towel Warmer Ra Brochure	nge Brochure	https://asset.productmarketingcloud.co m/api/assetstorage/3577_142fc909-d56 2-4ad4-97b1-1f7e115b8e9a
Myson Towel Warmers - range broch	ure Brochure	https://asset.productmarketingcloud.co m/api/assetstorage/3577_5781fce0-5efe -4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
VR1C	F6C-MTAVR1C	955h x 676w - Dee
VR1C4	F6C-MTAVR1C4	955h x 476w - Dee
VR2C	F6C-MTAVR2C	955h x 776w - Dee
VR3C	F6C-MTAVR3C	955h x 876w - Dee