

Product Data Sheet

9/1/2024

Towel Warmers

Ferlo

UK - Myson



- Stylish design
- Ample room
- White & chrome finish
- Dual fuel options
- Various size options

Description

Myson Ferlo is a premium, curved multirail towel radiator that adds a touch of luxury to any bathroom. Our modern ladder towel radiators are simple, elegant and practical and are designed to achieve the perfect combination of practical towel placement, stylish design and radiant heat output. With its classic design, the Ferlo towel radiator makes a great choice for any project. Ladder rails have become a modern requirement for any bathroom, and we have an extensive range to suit every need. Suitable for hydronic systems (chrome option also suitable for direct system).

Area of Application

The Ferlo towel radiator is ideal for bathrooms where both functionality and design are priority. Suitable for hot water systems, it can be paired with underfloor heating. There's an option to fit a Dual Fuel Heater Kit, expanding its use even when central heating is off.

Selection Criteria

Large range of sizes and heat outputs available, in Chrome. Available as a curved model only.

Basic User Instructions

Install the Ferlo towel radiator with Radiator or Thermostatic Radiator Valves to control room temperature. An MHK Dual Fuel Heater Kit can be added for operation during warmer months without requiring the entire heating system. Ensure that wall brackets, air vent, and plug are properly installed to secure the unit.

Prescription text specifiers

The Ferlo towel radiator is a curved multirail towel warmer made from steel for white models and brass for chrome models. It is ideal for hot water systems and can be paired with underfloor heating. The unit supports a dual fuel heater kit for increased usage flexibility. Standard connections include 2 x ½" BSP, with integrated air vents. The working pressure is up to 7.4 bar for white and 5.3 bar for chrome models. Certified to BS EN 442 and carrying the CE & UKCA Mark, the Ferlo offers a stylish, practical heating solution with a variety of sizes and finishes to fit any design scheme.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or

replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		13, 22, 35
Height	Millimetre (mm)	730, 1200, 1858
Length	Millimetre (mm)	440, 490, 590, 740
Depth	Millimetre (mm)	120
Depth from wall to front side min	Millimetre (mm)	58 - 97
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 °C Watt (W) - 55/45		103, 114, 137, 157, 163 ... 417, 427, 438, 525, 656
Heat emission according to EN 442 20 °C Watt (W) - 75/65		195, 217, 260, 297, 322 ... 818, 821, 839, 1006, 1258
Heat emission according to EN 442 20 °C Watt (W) - 70/40		163, 174, 226, 347, 392 ... 926, 933, 1030, 1031, 1170
N-exponent		1.2321, 1.2334, 1.2476, 1.2547, 1.273, 1.3278
Max. operating pressure	Bar (bar)	7.4
With fan heater		No
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Surface protection		Lacquered
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2
Connection 1, bottom left		Inlet/outlet flow
Connection 8, bottom right		Inlet/outlet flow

Feature	Unit	Value
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
Suitable for damp space		Yes
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Vertical
Factor K		4.32, 6.37
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		351, 389, 467, 536, 556 ... 1423, 1457, 1494, 1791, 2238
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		4
Variant		Curved
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		666, 740, 888, 1015, 1098 ... 2789, 2802, 2861, 3433, 4291
Watt Absolute	Watt (W)	195, 217, 260, 297, 322 ... 818, 821, 839, 1006, 1258
Item weight	Kilogram (kg)	8.4, 10.2, 14.3, 15.4, 15.7, 17, 17.3, 24, 25.2, 27.5, 32.2, 39

Resources

Document Description	Document Type	Link
Myson Ferlo Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_f8e35b15-e3b7-4751-b6c5-b8bfda46a47c
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Multi-Rail Towel Warmer Range Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1c8c3186-6bcd-490c-814e-295672ea5849
Myson Towel Warmer Accessory Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_4fe4000e-8d2d-4051-b8f8-c369afc56a1a
Myson Towel Warmers - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5781fce0-5efe-4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
CMR145C	F5Q-MTACMR145C	Chrome 730h x 440w - Ferlo
CMR1C	F5Q-MTACMR1C	Chrome 730h x 490w - Ferlo
CMR2C	F5Q-MTACMR2C	Chrome 730h x 590w - Ferlo
CMR3C	F5Q-MTACMR3C	Chrome 730h x 740w - Ferlo
CMR445C	F5Q-MTACMR445C	Chrome 1200h x 440w - Ferlo
CMR4C	F5Q-MTACMR4C	Chrome 1200h x 490w - Ferlo
CMR5C	F5Q-MTACMR5C	Chrome 1200h x 590w - Ferlo
CMR6C	F5Q-MTACMR6C	Chrome 1200h x 740w - Ferlo
CMR745C	F5Q-MTACMR745C	Chrome 1858h x 440w - Ferlo
CMR7C	F5Q-MTACMR7C	Chrome 1858h x 490w - Ferlo
CMR8C	F5Q-MTACMR8C	Chrome 1858h x 590w - Ferlo
CMR9C	F5Q-MTACMR9C	Chrome 1858h x 740w - Ferlo
CMR145W	F5Q-MTGCMR145W	White 730h x 440w - Ferlo
CMR1W	F5Q-MTGCMR1W	White 730h x 490w - Ferlo
CMR2W	F5Q-MTGCMR2W	White 730h x 590w - Ferlo
CMR3W	F5Q-MTGCMR3W	White 730h x 740w - Ferlo
CMR445W	F5Q-MTGCMR445W	White 1200h x 440w - Ferlo
CMR4W	F5Q-MTGCMR4W	White 1200h x 490w - Ferlo
CMR5W	F5Q-MTGCMR5W	White 1200h x 590w - Ferlo
CMR6W	F5Q-MTGCMR6W	White 1200h x 740w - Ferlo
CMR745W	F5Q-MTGCMR745W	White 1858h x 440w - Ferlo
CMR7W	F5Q-MTGCMR7W	White 1858h x 490w - Ferlo
CMR8W	F5Q-MTGCMR8W	White 1858h x 590w - Ferlo

Local Code	Global Item Code	Item Description
CMR9W	F5Q-MTGCMR9W	White 1858h x 740w - Ferlo