

Product Data Sheet

9/1/2024

Towel Warmers

Lindi

UK - Myson



- Stylish Design
- Ample Warming Space
- Dual Fuel Options
- High Versatility
- Advanced Technology

Description

The Lindi is a stylish and eye-catching bathroom radiator that adds luxury to any bathroom. Combining a square frame with round tube rails, Lindi comes in various sizes and dual fuel options, suitable for hydronic systems. It's offered in both white and chrome finishes, ensuring a perfect match for any décor.

Area of Application

Lindi is ideal for bathrooms, providing an elegant and functional towel warming solution. Suitable for hydronic heating systems, it integrates with hot water systems and can be paired with underfloor heating. Available in various sizes with dual fuel options, offering versatility to meet different heating requirements.

Selection Criteria

Range of sizes and heat outputs available. Use our design service for selection, or refer to our brochure for quick options.

Basic User Instructions

Install Lindi with Radiator Valves or Thermostatic Radiator Valves for optimal temperature control. For year-round use, even when the central heating is off, use MHK Dual Fuel Heater Kits. Ensure secure wall bracket installation, allowing sufficient airflow for optimal heating performance. Follow all safety guidelines for electrical connections.

Prescription text specifiers

Lindi is a stylish and functional multi-rail towel radiator, featuring a combination of a square frame and round tube rails. Manufactured from steel, Lindi is available in various sizes and dual fuel options, making it suitable for both hydronic and direct heating systems. The product comes in white and chrome finishes, addressing a wide array of aesthetic preferences. It includes four tap connections, wall brackets, an air vent, and a plug for versatile installation. Ideal for bathrooms, it provides a sophisticated look while enhancing heating efficiency.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		17, 27, 42
Height	Millimetre (mm)	760, 1190, 1800
Length	Millimetre (mm)	450, 500, 600, 750
Depth	Millimetre (mm)	86
Depth from wall to front side min	Millimetre (mm)	86 - 98
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 °C Watt (W) - 55/45		125, 139, 166, 184, 186 ... 377, 408, 508, 509, 610
Heat emission according to EN 442 20 °C Watt (W) - 75/65		239, 266, 319, 351, 359 ... 736, 768, 959, 960, 1150
Heat emission according to EN 442 20 °C Watt (W) - 70/40		235, 338, 353, 630, 678, 697, 728, 965, 985, 1056, 1136, 1247, 1477, 1532
N-exponent		1.2404, 1.2424, 1.2678, 1.2756, 1.2868, 1.3095
Max. operating pressure	Bar (bar)	5.3, 7.4
With fan heater		No
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Surface protection		Lacquered
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2
Connection 1, bottom left		Inlet/outlet flow

Feature	Unit	Value
Connection 8, bottom right		Inlet/outlet flow
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
Suitable for damp space		Yes
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Vertical
Factor K		2.938, 3.703, 4.899, 6.172, 7.063
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		427, 474, 566, 628, 635 ... 1286, 1392, 1733, 1737, 2081
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		4
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		817, 908, 1089, 1198, 1225 ... 2510, 2620, 3270, 3276, 3924
Watt Absolute	Watt (W)	239, 266, 319, 351, 359 ... 716, 768, 959, 960, 1150
Item weight	Kilogram (kg)	9.75, 10, 11.9, 13, 14.8, 15, 15.75, 16, 23, 26

Resources

Document Description	Document Type	Link
Myson Lindi Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_2e1d9fcc-31b0-436a-86b7-0a5848dc0800
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Multi-Rail Towel Warmer Range Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1c8c3186-6bcd-490c-814e-295672ea5849
Myson Towel Warmer Accessory Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_4fe4000e-8d2d-4051-b8f8-c369afc56a1a
Lindi brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_32893f81-a8d6-4f8c-97e9-3ee41f2934d1
Myson Towel Warmers - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5781fce0-5efe-4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
MRS145C	F6H-MTAMRS145C	Chrome 760h x 450w - Lindi
MRS1C	F6H-MTAMRS1C	Chrome 760h x 500w - Lindi
MRS2C	F6H-MTAMRS2C	Chrome 760h x 600w - Lindi
MRS3C	F6H-MTAMRS3C	Chrome 760h x 750w - Lindi
MRS445C	F6H-MTAMRS445C	Chrome 1190h x 450w - Lindi
MRS4C	F6H-MTAMRS4C	Chrome 1190h x 500w - Lindi
MRS5C	F6H-MTAMRS5C	Chrome 1190h x 600w - Lindi
MRS6C	F6H-MTAMRS6C	Chrome 1190h x 750w - Lindi
MRS7C	F6H-MTAMRS7C	Chrome 1800h x 500w - Lindi
MRS8C	F6H-MTAMRS8C	Chrome 1800h x 600w - Lindi
MRS145W	F6H-MTGMRS145W	White 760h x 450w - Lindi
MRS1W	F6H-MTGMRS1W	White 760h x 500w - Lindi
MRS2W	F6H-MTGMRS2W	White 760h x 600w - Lindi
MRS3W	F6H-MTGMRS3W	White 760h x 750w - Lindi
MRS445W	F6H-MTGMRS445W	White 1190h x 450w - Lindi
MRS4W	F6H-MTGMRS4W	White 1190h x 500w - Lindi
MRS5W	F6H-MTGMRS5W	White 1190h x 600w - Lindi
MRS6W	F6H-MTGMRS6W	White 1190h x 750w - Lindi
MRS7W	F6H-MTGMRS7W	White 1800h x 500w - Lindi
MRS8W	F6H-MTGMRS8W	White 1800h x 600w - Lindi