**Product Data Sheet** 

12/17/2024

Towel Warmers **Lindi** UK - Myson



- Stylish Design
- Ample Warming Space
- Dual Fuel Options
- High Versatility
- Advanced Technology

#### Description

The Lindi is a stylish and eye-catching bathroom radiator that adds luxury to any bathroom. Combining a square frame with round tube rails, Lindi comes in various sizes and dual fuel options, suitable for hydronic systems. It's offered in both white and chrome finishes, ensuring a perfect match for any décor.

#### Area of Application

Lindi is ideal for bathrooms, providing an elegant and functional towel warming solution. Suitable for hydronic heating systems, it integrates with hot water systems and can be paired with underfloor heating. Available in various sizes with dual fuel options, offering versatility to meet different heating requirements.

#### **Selection Criteria**

Range of sizes and heat outputs available. Use our design service for selection, or refer to our brochure for quick options.

#### **Basic User Instructions**

Install Lindi with Radiator Valves or Thermostatic Radiator Valves for optimal temperature control. For year-round use, even when the central heating is off, use MHK Dual Fuel Heater Kits. Ensure secure wall bracket installation, allowing sufficient airflow for optimal heating performance. Follow all safety guidelines for electrical connections.

#### Prescription text specifiers

Lindi is a stylish and functional multi-rail towel radiator, featuring a combination of a square frame and round tube rails. Manufactured from steel, Lindi is available in various sizes and dual fuel options, making it suitable for both hydronic and direct heating systems. The product comes in white and chrome finishes, addressing a wide array of aesthetic preferences. It includes four tap connections, wall brackets, an air vent, and a plug for versatile installation. Ideal for bathrooms, it provides a sophisticated look while enhancing heating efficiency.

#### Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty. Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.\*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.\*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.

• Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & toolingfrom date of purchase.

- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.\*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.\*

Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.
 \*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect.
 Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear. Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

# Specification

| Feature  | Unit            | Value  |
|--|-----------------|--|
| Etim Class                                     |                 | EC011023 - Tube radiator                           |
| Material                                       |                 | Steel  |
| Material quality                               |                 | Other  |
| Number of tubes                                |                 | 17, 27, 42   |
| Height   | Millimetre (mm) | 760, 1190, 1800                                    |
| Length   | Millimetre (mm) | 450, 500, 600, 750                                 |
| Depth  | Millimetre (mm) | 86   |
| Depth from wall to front side min              | Millimetre (mm) | 86 - 98  |
| Shape of radiation tube                        |                 | Round  |
| Shape of collector                             |                 | Round  |
| Installation                                   |                 | Vertical   |
| Radiant tube                                   |                 | Horizontal   |
| Radiator design                                |                 | Straight   |
| Towel radiator model                           |                 | Yes  |
| Heat emission according to EN 442 2<br>- 55/45 | 0 °C Watt (W)   | 125, 139, 166, 184, 186 377, 408, 508,<br>509, 610 |
| Heat emission according to EN 442 2<br>- 75/65 | 0 °C Watt (W)   | 239, 266, 319, 351, 359 736, 768, 959<br>960, 1150 |
| Heat emission according to EN 442 2            | 0 °C. Watt (W)  | 235, 338, 353, 630, 678, 697, 728, 965,            |
| - 70/40  |                 | 985, 1056, 1136, 1247, 1477, 1532                  |
| N-exponent                                     |                 | 1.2404, 1.2424, 1.2678, 1.2756, 1.2868,<br>1.3095  |
| Max. operating pressure                        | Bar (bar)       | 5.3, 7.4   |
| With fan heater                                | ( )             | No   |
| Standard colour                                |                 | Yes  |
| Colour   |                 | White  |
| RAL-number                                     |                 | 9016   |
| Degree of gloss                                |                 | Glossy   |
| Surface protection                             |                 | Lacquered  |
| Suitable for damp space                        |                 | Yes  |
| With towel holder                              |                 | No   |
| With mirror                                    |                 | No   |
| Mounting method                                |                 | On wall  |
| With side lining                               |                 | No   |
| With top cladding                              |                 | No   |
| Swivelling                                     |                 | No   |
| Applicable with hot tap water circuit          |                 | No   |
| Number of standard connections                 |                 | 2  |
| A Droduct Data Shoot Lindi 12/17/202/          |                 |  |

4 | Product Data Sheet Lindi, 12/17/2024

| Unit                 | Value   |
|----------------------|---|
|                      | Inlet/outlet flow                               |
|                      | Inlet/outlet flow                               |
|                      | 1/2 inch  |
|                      | No  |
|                      | Internal thread                                 |
|                      | Yes   |
|                      | Yes   |
|                      | Yes   |
|                      | No  |
|                      | No  |
|                      | Yes   |
|                      | No  |
|                      | Yes   |
|                      | Yes   |
|                      | Vertical  |
|                      | 2.938, 3.703, 4.899, 6.172, 7.063               |
| )°C                  | 427, 474, 566, 628, 635 1286, 1392,             |
|                      | 1733, 1737, 2081                                |
| Degrees celsius (°C) | 110   |
|                      | 4   |
| ℃<br>0°C             | 817, 908, 1089, 1198, 1225 2510, 2620,          |
|                      | 3270, 3276, 3924                                |
| Watt (W)             | 239, 266, 319, 351, 359 716, 768, 959,          |
|                      | 960, 1150                                       |
| Kilogram (kg)        | 9.75, 10, 11.9, 13, 14.8, 15, 15.75, 16, 23, 26 |
|                      | P°C Degrees celsius (°C) VVatt (W)              |

## Resources

| Document Description                            | Document Type | Link   |
|---|---------------|--|
| Myson Lindi Brochure                            | Brochure      | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_2e1d9fcc-31b<br>0-436a-86b7-0a5848dc0800 |
| Myson Complete Solutions - Full<br>Brochure     | Brochure      | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_24872a57-c3a<br>5-4956-ab4b-dfa3b522c19b |
| Myson Multi-Rail Towel Warmer Range<br>Brochure | Brochure      | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_1c8c3186-6bc<br>d-490c-814e-295672ea5849 |
| Myson Towel Warmer Accessory<br>Brochure        | Brochure      | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_4fe4000e-8d2<br>d-4051-b8f8-c369afc56a1a |
| Lindi brochure                                  | Brochure      | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_32893f81-a8d<br>6-4f8c-97e9-3ee41f2934d1 |
| Myson Towel Warmers - range brochure Brochure   |               | https://asset.productmarketingcloud.co<br>m/api/assetstorage/3577_5781fce0-5efe<br>-4895-b2bb-1b6f125c165b |

### ltems

| Local Code | Global Item Code | Item Description            |
|------------|------------------|-----------------------------|
| MRS145C    | F6H-MTAMRS145C   | Chrome 760h x 450w - Lindi  |
| MRS1C      | F6H-MTAMRS1C     | Chrome 760h x 500w - Lindi  |
| MRS2C      | F6H-MTAMRS2C     | Chrome 760h x 600w - Lindi  |
| MRS3C      | F6H-MTAMRS3C     | Chrome 760h x 750w - Lindi  |
| MRS445C    | F6H-MTAMRS445C   | Chrome 1190h x 450w - Lindi |
| MRS4C      | F6H-MTAMRS4C     | Chrome 1190h x 500w - Lindi |
| MRS5C      | F6H-MTAMRS5C     | Chrome 1190h x 600w - Lindi |
| MRS6C      | F6H-MTAMRS6C     | Chrome 1190h x 750w - Lindi |
| MRS7C      | F6H-MTAMRS7C     | Chrome 1800h x 500w - Lindi |
| MRS8C      | F6H-MTAMRS8C     | Chrome 1800h x 600w - Lindi |
| MRS145W    | F6H-MTGMRS145W   | White 760h x 450w - Lindi   |
| MRS1W      | F6H-MTGMRS1W     | White 760h x 500w - Lindi   |
| MRS2W      | F6H-MTGMRS2W     | White 760h x 600w - Lindi   |
| MRS3W      | F6H-MTGMRS3W     | White 760h x 750w - Lindi   |
| MRS445W    | F6H-MTGMRS445W   | White 1190h x 450w - Lindi  |
| MRS4W      | F6H-MTGMRS4W     | White 1190h x 500w - Lindi  |
| MRS5W      | F6H-MTGMRS5W     | White 1190h x 600w - Lindi  |
| MRS6W      | F6H-MTGMRS6W     | White 1190h x 750w - Lindi  |
| MRS7W      | F6H-MTGMRS7W     | White 1800h x 500w - Lindi  |
| MRS8W      | F6H-MTGMRS8W     | White 1800h x 600w - Lindi  |
|            |                  |                             |