

Product Data Sheet

9/1/2024

Panel Radiators

Premier HE

UK - Myson



- Stylish, hazard-reducing round top
- Impressive heat outputs
- Suitable for low temperature systems
- Numerous sizes available
- Imperial sizes for retrofitting

Description

Myson Premier HE is famous for its round top which not only provides extra safety, but also gives the Premier HE radiator its unique style and good looks. As the only UK panel radiator range offering imperial fitting dimensions, Myson's Premier HE is the perfect panel radiator for retro fitting projects. The Myson Premier Metric offers the same great looks high performance, but in metric sizes. Also available with factory fitted top grille and side panels - see Premier Compact.

Area of Application

Premier HE is suitable for 2-pipe pumped indirect domestic and commercial heating applications. Designed for retrofit projects, it features a stylish round top and impressive heat outputs. Available in various sizes, it is perfect for traditional and modern room designs.

Selection Criteria

For selecting or calculating thermal heat power output, please use our design service. For quick selection, use our brochure.

Basic User Instructions

Premier HE radiators are designed for use on 2-pipe pumped indirect heating systems with a maximum working temperature of 100°C. Each radiator is tested to 7 bar pressure and is suitable for a working pressure of 5.4 bar. Installation should ensure proper alignment with ½" BSP connections and incorporate air vents as needed. Ensure the system is clean and free from debris before and after installation.

Prescription text specifiers

The Myson Premier HE panel radiator is a versatile option for 2-pipe pumped indirect domestic and commercial heating applications. Tested to BS EN 442 standards and marked with BS Kitemark, CE, and UKCA, it guarantees quality and safety. Available in 121 sizes, it supports a maximum operating temperature of 100°C and pressures up to 5.4 bar. Premier HE features a unique round top design, ensuring both style and safety, while providing impressive heat outputs. Ideal for retrofitting, it comes with a 10-year warranty and fits traditional or modern room designs with ease. Install with appropriate air vents and ensure system cleanliness for optimal performance.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011022 - Panel radiator
Material		Steel
Type		11, 21, 22
Surface structure front side panel		Profiled
Water-bearing front panel		Yes
Height	Millimetre (mm)	300, 390, 530, 690
Length	Millimetre (mm)	286, 400, 438, 540, 641 ... 1600, 1759, 1962, 2000, 2165
Depth	Millimetre (mm)	50, 81, 106
Heat emission according to EN 442 20 °C Watt (W) - 55/45		104, 157, 185, 195, 214 ... 1443, 1581, 1609, 1771, 1787
Heat emission according to EN 442 20 °C Watt (W) - 75/65		199, 305, 354, 375, 409 ... 2837, 3110, 3165, 3484, 3516
Heat emission according to EN 442 20 °C Watt (W) - 70/40		120, 176, 206, 218, 241 ... 1620, 1775, 1807, 1993, 2007
N-exponent		1.2692, 1.2728, 1.2783, 1.2825, 1.285, 1.2988, 1.2995, 1.3079, 1.3136, 1.3241, 1.3246
Heat emission according to EN 442 laboratory		Yes
Max. operating pressure	Bar (bar)	5.4
Water content	Litre (l)	1, 2, 3, 4, 5 ... 14, 15, 16, 17, 18
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Welded-on strips		Yes
With side lining		No
With top cladding		No
Collapsible		No
Number of standard connections		2, 4
Connection 2, left side low		Inlet/outlet flow
Connection 3, left side top		Inlet flow
Connection 6, right side top		Inlet flow
Connection 7, right side low		Inlet/outlet flow
Thread size (inch)		1/2 inch
Thread connection		Internal thread
Suitable for damp space		No

Feature	Unit	Value
With single-point connection		No
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With wall brackets		Yes
Suitable for electrical element		No
With electrical element		No
With blind stops		Yes
With mounting material		Yes
With towel holder		No
Recessed towel holder		No
Watt Per Meter	Watt per metre (W/m)	515, 655, 857, 973, 1001, 1068, 1250, 1255, 1568, 1613, 1999
Mounting direction		Horizontal
Factor K		1.391, 1.832, 2.433, 2.527, 2.805 ... 16.778, 17.473, 17.813, 19.61, 19.753
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		356, 534, 630, 667, 730 ... 4922, 5395, 5490, 6058, 6099
Max. operating temperature	Degrees celsius (°C)	100
Number of wall brackets		2, 3
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		680, 1042, 1207, 1281, 1395 ... 9681, 10613, 10798, 11915, 11997
Item weight	Kilogram (kg)	3.46, 5.78, 5.85, 6.61, 6.62 ... 50.84, 54.55, 58.22, 58.46, 66.72

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Premeir HE Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_a3f65dac-8ba2-4958-8f06-bf4f846984d0
Premeir HE technical information	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1f64698a-62d1-4fd4-9054-414372505714
Myson Panel Radiators - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_67e51605-6ae8-4d51-a3cb-cc4625f0758f
Premier HE Connection Options	Installation Instructions	https://asset.productmarketingcloud.com/api/assetstorage/3577_f52e0d06-def1-4ee2-8206-e746fe1f63be

Items

Local Code	Global Item Code	Item Description
12SC15	F1T1103003900070	Type 11 300h x 400w - Premier HE
12SC31	F1T1103007900070	Type 11 300h x 800w - Premier HE
12SC47	F1T1103012000070	Type 11 300h x 1200w - Premier HE
12SC63	F1T1103016100070	Type 11 300h x 1600w - Premier HE
15SC21	F1T1103905400070	Type 11 390h x 540w - Premier HE
15SC25	F1T1103906400070	Type 11 390h x 641w - Premier HE
15SC29	F1T1103907400070	Type 11 390h x 743w - Premier HE
415SC37	F1T1103909500000	Type 11 390h x 946w 4 tap - Premier HE
15SC37	F1T1103909500070	Type 11 390h x 946w - Premier HE
415SC41	F1T1103910500000	Type 11 390h x 1047w 4 tap - Premier HE
15SC41	F1T1103910500070	Type 11 390h x 1047w - Premier HE
415SC45	F1T1103911500000	Type 11 390h x 1149w 4 tap - Premier HE
15SC45	F1T1103911500070	Type 11 390h x 1149w - Premier HE
415SC49	F1T1103912500000	Type 11 390h x 1251w 4 tap - Premier HE
15SC49	F1T1103912500070	Type 11 390h x 1251w - Premier HE
415SC53	F1T1103913500000	Type 11 390h x 1352w 4 tap - Premier HE
15SC53	F1T1103913500070	Type 11 390h x 1352w - Premier HE
15SC57	F1T1103914500070	Type 11 390h x 1454w - Premier HE
15SC61	F1T1103915600070	Type 11 390h x 1556w - Premier HE
15SC69	F1T1103917600070	Type 11 390h x 1759w - Premier HE
15SC77	F1T1103919600070	Type 11 390h x 1962w - Premier HE
421SC17	F1T1105304400000	Type 11 530h x 438w 4 tap - Premier HE
21SC17	F1T1105304400070	Type 11 530h x 438w - Premier HE

Local Code	Global Item Code	Item Description
421SC21	F1T1105305400000	Type 11 530h x 540w 4 tap - Premier HE
21SC21	F1T1105305400070	Type 11 530h x 540w - Premier HE
421SC25	F1T1105306400000	Type 11 530h x 641w 4 tap - Premier HE
21SC25	F1T1105306400070	Type 11 530h x 641w - Premier HE
421SC29	F1T1105307400000	Type 11 530h x 743w 4 tap - Premier HE
21SC29	F1T1105307400070	Type 11 530h x 743w - Premier HE
421SC33	F1T1105308400000	Type 11 530h x 844w 4 tap - Premier HE
21SC33	F1T1105308400070	Type 11 530h x 844w - Premier HE
421SC37	F1T1105309500000	Type 11 530h x 946w 4 tap - Premier HE
21SC37	F1T1105309500070	Type 11 530h x 946w - Premier HE
421SC41	F1T1105310500000	Type 11 530h x 1047w 4 tap - Premier HE
21SC41	F1T1105310500070	Type 11 530h x 1047w - Premier HE
421SC45	F1T1105311500000	Type 11 530h x 1149w 4 tap - Premier HE
21SC45	F1T1105311500070	Type 11 530h x 1149w - Premier HE
421SC49	F1T1105312500000	Type 11 530h x 1251w 4 tap - Premier HE
21SC49	F1T1105312500070	Type 11 530h x 1251w - Premier HE
421SC53	F1T1105313500000	Type 11 530h x 1352w 4 tap - Premier HE
21SC53	F1T1105313500070	Type 11 530h x 1352w - Premier HE
421SC57	F1T1105314500000	Type 11 530h x 1454w 4 tap - Premier HE
21SC57	F1T1105314500070	Type 11 530h x 1454w - Premier HE
421SC61	F1T1105315600000	Type 11 530h x 1556w 4 tap - Premier HE
21SC61	F1T1105315600070	Type 11 530h x 1556w - Premier HE
421SC69	F1T1105317600000	Type 11 530h x 1759w 4 tap - Premier HE
21SC69	F1T1105317600070	Type 11 530h x 1759w - Premier HE
21SC77	F1T1105319600070	Type 11 530h x 1962w - Premier HE
21SC85	F1T1105321700070	Type 11 530h x 2165w - Premier HE
427SC11	F1T1106902900000	Type 11 690h x 286w 4 tap - Premier HE
27SC11	F1T1106902900070	Type 11 690h x 286w - Premier HE
427SC17	F1T1106904400000	Type 11 690h x 438w 4 tap - Premier HE
27SC17	F1T1106904400070	Type 11 690h x 438w - Premier HE
427SC21	F1T1106905400000	Type 11 690h x 540w 4 tap - Premier HE
27SC21	F1T1106905400070	Type 11 690h x 540w - Premier HE
427SC25	F1T1106906400000	Type 11 690h x 641w 4 tap - Premier HE
27SC25	F1T1106906400070	Type 11 690h x 641w - Premier HE
427SC29	F1T1106907400000	Type 11 690h x 743w 4 tap - Premier HE
27SC29	F1T1106907400070	Type 11 690h x 743w - Premier HE
427SC33	F1T1106908400000	Type 11 690h x 844w 4 tap - Premier HE
27SC33	F1T1106908400070	Type 11 690h x 844w - Premier HE
427SC37	F1T1106909500000	Type 11 690h x 946w 4 tap - Premier HE
27SC37	F1T1106909500070	Type 11 690h x 946w - Premier HE
427SC41	F1T1106910500000	Type 11 690h x 1047w 4 tap - Premier HE

Local Code	Global Item Code	Item Description
27SC41	F1T1106910500070	Type 11 690h x 1047w - Premier HE
427SC45	F1T1106911500000	Type 11 690h x 1149w 4 tap - Premier HE
27SC45	F1T1106911500070	Type 11 690h x 1149w - Premier HE
27SC53	F1T1106913500070	Type 11 690h x 1352w - Premier HE
27SC61	F1T1106915600070	Type 11 690h x 1556w - Premier HE
27SC69	F1T1106917600070	Type 11 690h x 1759w - Premier HE
15DPX29	F1T2103907400070	Type 21 390h x 743w - Premier HE
415DPX37	F1T2103909500000	Type 21 390h x 946w 4 tap - Premier HE
15DPX37	F1T2103909500070	Type 21 390h x 946w - Premier HE
415DPX41	F1T2103910500000	Type 21 390h x 1047w 4 tap - Premier HE
15DPX41	F1T2103910500070	Type 21 390h x 1047w - Premier HE
415DPX45	F1T2103911500000	Type 21 390h x 1149w 4 tap - Premier HE
15DPX45	F1T2103911500070	Type 21 390h x 1149w - Premier HE
415DPX49	F1T2103912500000	Type 21 390h x 1251w 4 tap - Premier HE
15DPX49	F1T2103912500070	Type 21 390h x 1251w - Premier HE
415DPX53	F1T2103913500000	Type 21 390h x 1352w 4 tap - Premier HE
15DPX53	F1T2103913500070	Type 21 390h x 1352w - Premier HE
415DPX57	F1T2103914500000	Type 21 390h x 1454w 4 tap - Premier HE
15DPX57	F1T2103914500070	Type 21 390h x 1454w - Premier HE
15DPX61	F1T2103915600070	Type 21 390h x 1556w - Premier HE
15DPX69	F1T2103917600070	Type 21 390h x 1759w - Premier HE
15DPX77	F1T2103919600070	Type 21 390h x 1962w - Premier HE
421DPX17	F1T2105304400000	Type 21 530h x 438w 4 tap - Premier HE
21DPX17	F1T2105304400070	Type 21 530h x 438w - Premier HE
421DPX21	F1T2105305400000	Type 21 530h x 540w 4 tap - Premier HE
21DPX21	F1T2105305400070	Type 21 530h x 540w - Premier HE
421DPX25	F1T2105306400000	Type 21 530h x 641w 4 tap - Premier HE
21DPX25	F1T2105306400070	Type 21 530h x 641w - Premier HE
421DPX29	F1T2105307400000	Type 21 530h x 743w 4 tap - Premier HE
21DPX29	F1T2105307400070	Type 21 530h x 743w - Premier HE
421DPX33	F1T2105308400000	Type 21 530h x 844w 4 tap - Premier HE
21DPX33	F1T2105308400070	Type 21 530h x 844w - Premier HE
421DPX37	F1T2105309500000	Type 21 530h x 946w 4 tap - Premier HE
21DPX37	F1T2105309500070	Type 21 530h x 946w - Premier HE
421DPX41	F1T2105310500000	Type 21 530h x 1047w 4 tap - Premier HE
21DPX41	F1T2105310500070	Type 21 530h x 1047w - Premier HE
421DPX45	F1T2105311500000	Type 21 530h x 1149w 4 tap - Premier HE
21DPX45	F1T2105311500070	Type 21 530h x 1149w - Premier HE
421DPX49	F1T2105312500000	Type 21 530h x 1251w 4 tap - Premier HE
21DPX49	F1T2105312500070	Type 21 530h x 1251w - Premier HE
421DPX53	F1T2105313500000	Type 21 530h x 1352w 4 tap - Premier HE

Local Code	Global Item Code	Item Description
21DPX53	F1T2105313500070	Type 21 530h x 1352w - Premier HE
21DPX57	F1T2105314500070	Type 21 530h x 1454w - Premier HE
21DPX61	F1T2105315600070	Type 21 530h x 1556w - Premier HE
21DPX69	F1T2105317600070	Type 21 530h x 1759w - Premier HE
21DPX77	F1T2105319600070	Type 21 530h x 1962w - Premier HE
427DPX17	F1T2106904400000	Type 21 690h x 438w 4 tap - Premier HE
27DPX17	F1T2106904400070	Type 21 690h x 438w - Premier HE
427DPX21	F1T2106905400000	Type 21 690h x 540w 4 tap - Premier HE
27DPX21	F1T2106905400070	Type 21 690h x 540w - Premier HE
427DPX25	F1T2106906400000	Type 21 690h x 641w 4 tap - Premier HE
27DPX25	F1T2106906400070	Type 21 690h x 641w - Premier HE
427DPX29	F1T2106907400000	Type 21 690h x 743w 4 tap - Premier HE
27DPX29	F1T2106907400070	Type 21 690h x 743w - Premier HE
427DPX33	F1T2106908400000	Type 21 690h x 844w 4 tap - Premier HE
27DPX33	F1T2106908400070	Type 21 690h x 844w - Premier HE
427DPX37	F1T2106909500000	Type 21 690h x 946w 4 tap - Premier HE
27DPX37	F1T2106909500070	Type 21 690h x 946w - Premier HE
27DPX41	F1T2106910500070	Type 21 690h x 1047w - Premier HE
27DPX45	F1T2106911500070	Type 21 690h x 1149w - Premier HE
27DPX53	F1T2106913500070	Type 21 690h x 1352w - Premier HE
27DPX61	F1T2106915600070	Type 21 690h x 1556w - Premier HE
12DC31	F1T2203007900070	Type 22 300h x 800w - Premier HE
12DC47	F1T2203012000070	Type 22 300h x 1200w - Premier HE
12DC63	F1T2203016100070	Type 22 300h x 1600w - Premier HE
12DC79	F1T2203020100070	Type 22 300h x 2000w - Premier HE
15DC21	F1T2203905400070	Type 22 390h x 540w - Premier HE
15DC25	F1T2203906400070	Type 22 390h x 641w - Premier HE
415DC29	F1T2203907400000	Type 22 390h x 743w 4 tap - Premier HE
15DC29	F1T2203907400070	Type 22 390h x 743w - Premier HE
415DC37	F1T2203909500000	Type 22 390h x 946w 4 tap - Premier HE
15DC37	F1T2203909500070	Type 22 390h x 946w - Premier HE
415DC41	F1T2203910500000	Type 22 390h x 1047w 4 tap - Premier HE
15DC41	F1T2203910500070	Type 22 390h x 1047w - Premier HE
415DC45	F1T2203911500000	Type 22 390h x 1149w 4 tap - Premier HE
15DC45	F1T2203911500070	Type 22 390h x 1149w - Premier HE
415DC49	F1T2203912500000	Type 22 390h x 1251w 4 tap - Premier HE
15DC49	F1T2203912500070	Type 22 390h x 1251w - Premier HE
415DC53	F1T2203913500000	Type 22 390h x 1352w 4 tap - Premier HE
15DC53	F1T2203913500070	Type 22 390h x 1352w - Premier HE
15DC57	F1T2203914500070	Type 22 390h x 1454w - Premier HE
15DC61	F1T2203915600070	Type 22 390h x 1556w - Premier HE

Local Code	Global Item Code	Item Description
15DC69	F1T2203917600070	Type 22 390h x 1759w - Premier HE
15DC77	F1T2203919600070	Type 22 390h x 1962w - Premier HE
15DC85	F1T2203921700070	Type 22 390h x 2165w - Premier HE
421DC17	F1T2205304400000	Type 22 530h x 438w 4 tap - Premier HE
21DC17	F1T2205304400070	Type 22 530h x 438w - Premier HE
421DC21	F1T2205305400000	Type 22 530h x 540w 4 tap - Premier HE
21DC21	F1T2205305400070	Type 22 530h x 540w - Premier HE
421DC25	F1T2205306400000	Type 22 530h x 641w 4 tap - Premier HE
21DC25	F1T2205306400070	Type 22 530h x 641w - Premier HE
421DC29	F1T2205307400000	Type 22 530h x 743w 4 tap - Premier HE
21DC29	F1T2205307400070	Type 22 530h x 743w - Premier HE
421DC33	F1T2205308400000	Type 22 530h x 844w 4 tap - Premier HE
21DC33	F1T2205308400070	Type 22 530h x 844w - Premier HE
421DC37	F1T2205309500000	Type 22 530h x 946w 4 tap - Premier HE
21DC37	F1T2205309500070	Type 22 530h x 946w - Premier HE
421DC41	F1T2205310500000	Type 22 530h x 1047w 4 tap - Premier HE
21DC41	F1T2205310500070	Type 22 530h x 1047w - Premier HE
421DC45	F1T2205311500000	Type 22 530h x 1149w 4 tap - Premier HE
21DC45	F1T2205311500070	Type 22 530h x 1149w - Premier HE
421DC49	F1T2205312500000	Type 22 530h x 1251w 4 tap - Premier HE
21DC49	F1T2205312500070	Type 22 530h x 1251w - Premier HE
421DC53	F1T2205313500000	Type 22 530h x 1352w 4 tap - Premier HE
21DC53	F1T2205313500070	Type 22 530h x 1352w - Premier HE
21DC57	F1T2205314500070	Type 22 530h x 1454w - Premier HE
21DC61	F1T2205315600070	Type 22 530h x 1556w - Premier HE
21DC69	F1T2205317600070	Type 22 530h x 1759w - Premier HE
21DC77	F1T2205319600070	Type 22 530h x 1962w - Premier HE
21DC85	F1T2205321700070	Type 22 530h x 2165w - Premier HE
427DC11	F1T2206902900000	Type 22 690h x 286w 4 tap - Premier HE
27DC11	F1T2206902900070	Type 22 690h x 286w - Premier HE
427DC17	F1T2206904400000	Type 22 690h x 438w 4 tap - Premier HE
27DC17	F1T2206904400070	Type 22 690h x 438w - Premier HE
427DC21	F1T2206905400000	Type 22 690h x 540w 4 tap - Premier HE
27DC21	F1T2206905400070	Type 22 690h x 540w - Premier HE
427DC25	F1T2206906400000	Type 22 690h x 641w 4 tap - Premier HE
27DC25	F1T2206906400070	Type 22 690h x 641w - Premier HE
427DC29	F1T2206907400000	Type 22 690h x 743w 4 tap - Premier HE
27DC29	F1T2206907400070	Type 22 690h x 743w - Premier HE
427DC33	F1T2206908400000	Type 22 690h x 844w 4 tap - Premier HE
27DC33	F1T2206908400070	Type 22 690h x 844w - Premier HE
427DC37	F1T2206909500000	Type 22 690h x 946w 4 tap - Premier HE

Local Code	Global Item Code	Item Description
27DC37	F1T2206909500070	Type 22 690h x 946w - Premier HE
427DC41	F1T2206910500000	Type 22 690h x 1047w 4 tap - Premier HE
27DC41	F1T2206910500070	Type 22 690h x 1047w - Premier HE
427DC45	F1T2206911500000	Type 22 690h x 1149w 4 tap - Premier HE
27DC45	F1T2206911500070	Type 22 690h x 1149w - Premier HE
27DC53	F1T2206913500070	Type 22 690h x 1352w - Premier HE
27DC61	F1T2206915600070	Type 22 690h x 1556w - Premier HE
27DC69	F1T2206917600070	Type 22 690h x 1759w - Premier HE