

Product Data Sheet

9/1/2024

Towel Warmers

Topaz

UK - Myson



- Ideal for low temperature heating
- Excellent heat outputs
- Stylish and attractive
- Available in a range of colours
- Generous heat outputs

Description

The new double TOPAZ bathroom radiator from Myson provides excellent heat output, thanks to its generous tubular water channels. It is the perfect specification towel radiator for low temperature heating systems. TOPAZ is available in a wide choice of sizes, finished in White, Anthracite, Silver or Matt Black. Other colours are available to order. The contemporary and practical range will add style, vibrancy and a bit of wow to any bathroom.

See our range of decorative valves available to complement the TOPAZ bathroom radiator.

Area of Application

Topaz is suitable for low temperature heating systems, ideal for bathrooms where efficient towel warming is essential. It can be installed in domestic and commercial settings.

Selection Criteria

Available in Single or Double styles, 3 heights and 3 widths. Standard bottom opposite end connection.

Basic User Instructions

To install the Topaz towel radiator, use the provided brackets and screws to mount securely onto a solid or hollow wall. Ensure proper connection to your heating system. Regularly check for air and bleed the radiator if necessary to maintain optimal performance. Follow the manufacturer's maintenance guidelines to preserve appearance and functionality.

Prescription text specifiers

The Myson Topaz double bathroom radiator offers superior heat output with tubular water channels, ideal for low temperature systems. Available in various sizes and colours including White, Anthracite, Silver, and Matt Black. It features standard bottom opposite end connections and is crafted for efficient towel warming in domestic and commercial applications. Manufactured to BS EN 442 standards with a 10-year guarantee, the Topaz ensures lasting performance and style.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any

incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		38, 56, 84
Height	Millimetre (mm)	770, 1190, 1785
Length	Millimetre (mm)	400, 500, 600
Depth	Millimetre (mm)	77
Depth from wall to front side min	Millimetre (mm)	88 - 125
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 °C Watt (W) - 55/45		278, 343, 390, 409, 481, 564, 570, 696, 828
Heat emission according to EN 442 20 °C Watt (W) - 75/65		513, 639, 740, 766, 920, 1097, 1099, 1340, 1584
N-exponent		1.2093, 1.2104, 1.212, 1.2245, 1.2302, 1.2388, 1.2461, 1.2582, 1.2767
Max. operating pressure	Bar (bar)	4
Water content	Litre (l)	5.1, 6.32, 7.53, 7.55, 8.99, 10.44, 11.6, 15.57, 19.54
With fan heater		No
Standard colour		Yes
Colour		Black
RAL-number		9005
Degree of gloss		Matt
Surface protection		Lacquered
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2
Connection 1, bottom left		Inlet/outlet flow

Feature	Unit	Value
Connection 8, bottom right		Double connection, inlet-outlet
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
Suitable for damp space		Yes
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Vertical
Factor K		4.477, 5.611, 5.815, 6.756, 7.432, 7.477, 9.133, 9.76, 12.097
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		942, 1174, 1341, 1409, 1672, 1948, 2006, 2405, 2859
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		4
Variant		DOUBLE
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		1750, 2180, 2525, 2614, 3139, 3743, 3750, 4572, 5405
Watt Absolute	Watt (W)	513, 639, 740, 766, 920, 1097, 1099, 1340, 1584
Item weight	Kilogram (kg)	12.76, 15.64, 18.24, 19.65, 23.56, 27.48, 29.8, 35.83, 41.86

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Topaz Towel Warmer Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_6c144f72-2cb3-4658-826b-527833c6a870
Myson Towel Warmers - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5781fce0-5efe-4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
TPZD7704009005	FKR2V08004001E0R9005	Black 770h x 400w - Topaz Double
TPZD7705009005	FKR2V08005001E0R9005	Black 770h x 500w - Topaz Double
TPZD7706009005	FKR2V08006001E0R9005	Black 770h x 600w - Topaz Double
TPZD11904009005	FKR2V12004001E0R9005	Black 1190h x 400w - Topaz Double
TPZD11905009005	FKR2V12005001E0R9005	Black 1190h x 500w - Topaz Double
TPZD11906009005	FKR2V12006001E0R9005	Black 1190h x 600w - Topaz Double
TPZD17854009005	FKR2V18004001E0R9005	Black 1785h x 400w - Topaz Double
TPZD17855009005	FKR2V18005001E0R9005	Black 1785h x 500w - Topaz Double
TPZD17856009005	FKR2V18006001E0R9005	Black 1785h x 600w - Topaz Double