


Product Data Sheet

9/1/2024

Towel Warmers

Tyne

UK - Myson



- Light, modern design
- High-quality chrome finish
- Dual fuel option available
- Efficient heating
- Easy installation

Description

Myson Tyne is a classic tube-on-tube ladder effect bathroom radiator. Finished in chrome, Tyne is a light, modern design radiator that provides a discreet yet stylish presence in any bathroom. Suitable for hydronic heating systems, and dual fuel option available.

Area of Application

Tyne is ideal for hot water systems and can be paired with underfloor heating in bathrooms with low temperature heating systems. It can also be fitted with a Dual Fuel Heater Kit for functionality during warmer months, keeping costs down.

Selection Criteria

Large range of sizes and heat outputs available in Chrome. Available as a straight model only.

Basic User Instructions

Install Tyne with Radiator Valves or Thermostatic Radiator Valves for optimal room temperature control. The ECO 450 Dual Fuel Heater Kit can be added to use the towel warmer during warmer months without needing to activate the entire heating system.

Prescription text specifiers

Tyne is a classic tube-on-tube towel radiator finished in chrome, available with dual fuel options. With a high-quality, light, and modern design, it integrates seamlessly into any bathroom environment. Suitable for hydronic heating systems and underfloor heating pairings, Tyne offers efficient, practical heating solutions. Heat outputs vary by size, ranging from 318W to 547W at ΔT 50°C, ensuring effective towel warming and drying. Includes wall brackets, an air vent, and a plug for easy installation. Tested to a pressure of 9.6 bar and carries a 10-year guarantee against manufacturing defects.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty.

Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & tooling from date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the

product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear.

Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value
Etim Class		EC011023 - Tube radiator
Material		Steel
Material quality		Other
Number of tubes		16, 23, 28
Height	Millimetre (mm)	770, 1130, 1400
Length	Millimetre (mm)	600
Depth	Millimetre (mm)	85
Depth from wall to front side min	Millimetre (mm)	85 - 110
Shape of radiation tube		Round
Shape of collector		Round
Installation		Vertical
Radiant tube		Horizontal
Radiator design		Straight
Towel radiator model		Yes
Heat emission according to EN 442 20 °C Watt (W) - 55/45		170, 236, 288
Heat emission according to EN 442 20 °C Watt (W) - 75/65		307, 465, 585
Heat emission according to EN 442 20 °C Watt (W) - 70/40		284, 339
N-exponent		1.2306, 1.251, 1.2529
Max. operating pressure	Bar (bar)	7.4
Water content	Litre (l)	4, 5, 7
With fan heater		No
Standard colour		Yes
Colour		White
RAL-number		9016
Degree of gloss		Glossy
Surface protection		Lacquered
With towel holder		No
With mirror		No
Mounting method		On wall
With side lining		No
With top cladding		No
Swivelling		No
Applicable with hot tap water circuit		No
Number of standard connections		2
Connection 1, bottom left		Inlet/outlet flow

Feature	Unit	Value
Connection 8, bottom right		Inlet/outlet flow
Thread size (inch)		1/2 inch
With single-point connection		No
Thread connection		Internal thread
Suitable for damp space		Yes
With de-aeration connection		Yes
With de-aerator		Yes
With drain possibility (connection)		Yes
With drain valve		No
With integrated thermostatic valve		No
With consoles		Yes
Suitable for electrical element		No
With blind stops		Yes
With mounting material		Yes
Mounting direction		Vertical
Heat emission according to EN 442 20 °C – 55/45 [Btu/h]		580, 805, 983
Max. operating temperature	Degrees celsius (°C)	110
Number of wall brackets		4
Variant		Straight
Heat emission according to EN 442 20 °C – 75/65 [Btu/h]		1046, 1586, 1995
Watt Absolute	Watt (W)	318, 448, 547
Item weight	Kilogram (kg)	9.3, 13, 16.2

Resources

Document Description	Document Type	Link
Myson Complete Solutions - Full Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_24872a57-c3a5-4956-ab4b-dfa3b522c19b
Myson Multi-Rail Towel Warmer Range Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_1c8c3186-6bcd-490c-814e-295672ea5849
Myson Towel Warmer Accessory Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_4fe4000e-8d2d-4051-b8f8-c369afc56a1a
Myson Tyne Brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_14626b88-3df0-4cb7-9832-63ea72275d31
Tyne brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_fa81f41b-c2a9-47b3-a725-f4158a2edad6
Myson Towel Warmers - range brochure	Brochure	https://asset.productmarketingcloud.com/api/assetstorage/3577_5781fce0-5efe-4895-b2bb-1b6f125c165b

Items

Local Code	Global Item Code	Item Description
TUB1C	F3R-FTGTUB1C	770h x 600w - Tyne
TUB2C	F3R-FTGTUB2C	1130h x600w - Tyne
TUB3C	F3R-FTGTUB3C	1400h x 600w - Tyne