

6/29/2024

Myson Wiring Box

UK - Myson



- Centralized wiring
- 16 terminal connections
- Secure and reliable
- Reduces installation time
- Ideal for various installations

Description

The Myson Wiring Box is designed to streamline the installation and maintenance of Myson electrical controls. It supports up to 16 terminal connections, providing a robust and reliable solution for both residential and commercial heating systems. This wiring box ensures a neat and organized setup, reducing installation time and enhancing system reliability.

Area of Application

The Myson Wiring Box is suitable for use with Myson electrical controls, providing centralized wiring for up to 16 terminal connections. Ideal for both residential and commercial heating systems, it ensures organized and secure wiring of various electrical heating components.

Selection Criteria

For product selection criteria, please use our design service, or for quick selection, refer to our brochure.

Basic User Instructions

Ensure the Myson Wiring Box is installed by a qualified electrician following local electrical codes. Mount the wiring box securely to a suitable surface, connect the appropriate electrical controls to the terminal connections, and verify all connections are secure. Detailed wiring instructions are provided inside the box.

Prescription text specifiers

The Myson Wiring Box is designed for Myson electrical controls, providing a centralized and organized solution for up to 16 terminal connections. It is suitable for use in both residential and commercial heating systems. The wiring box simplifies installation and maintenance, ensuring secure and reliable connections. It should be installed by a qualified electrician following local electrical codes. The detailed wiring instructions are provided inside the box to ensure proper connection and secure setup. With features like ample connection points and robust design, it enhances system reliability and operation efficiency.

Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty. Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.

• Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & toolingfrom date of purchase.

- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators and Towel Warmers: 2 years from date of purchase.*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.*
- Myson Radiator Valves and Controls: 2 years from date of purchase.

*Products which are exposed to prolonged extreme conditions, such as high humidity or severe cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect. Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use

during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear. Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

Specification

Feature	Unit	Value	
Etim Class	EC011435 - Two way control valve		
ltem weight	Kilogram (kg)	0.24714	

Resources

Document Description	Document Type	Link	
ltems			
Global Item Code		Item Description	
FEYK7DN1600Z10UK3		Wiring Box - 16 Terminal	