**Product Data Sheet** 

6/28/2025

# Vertical casing front cover for iVector S2

UK - Myson



- Seamless integration
- Efficient airflow
- Protective cover
- Enhanced performance
- Easy installation

#### Description

The Vertical Casing Front Cover with an air intake grille is designed specifically for iVector S2 units being installed within wall recesses. It ensures seamless integration into the wall while providing efficient air circulation and heating or cooling performance. This cover must be used with the standard metal casing and is essential for maintaining the unit's performance and aesthetic.

#### Area of Application

The Vertical Casing Front Cover for iVector S2 is ideal for installations where the fan convector unit is recessed within a wall. It includes an air intake grille, providing efficient air flow and aesthetic integration into wall structures. Suitable for HVAC systems in commercial and residential buildings requiring discreet yet effective climate control solutions.

#### **Selection Criteria**

For selecting the appropriate Vertical Casing Front Cover for iVector S2, refer to our design service or use our brochure for a quick selection.

#### **Basic User Instructions**

Ensure the unit is recessed into the wall and the metal casing is installed first. The Vertical Casing Front Cover should be attached securely, ensuring the air intake grille is clear of obstructions to allow proper airflow. Regularly check and clean the grille to maintain optimal performance. In case of any installation issues, refer to the provided user manual or contact professional support.

#### Prescription text specifiers

The Vertical Casing Front Cover for iVector S2 units is designed for installations where the fan convector unit is recessed in the wall. Featuring an air intake grille, it facilitates optimal airflow and integrates seamlessly into the wall. Suitable for use with the standard metal casing, this cover is essential for both aesthetic appeal and maintaining the efficiency of the heating/cooling system. Easy to install, it provides a protective layer for the internal unit components, ensuring the durability and performance of the system in both residential and commercial applications. The cover dimensions and compatibility must match the specific iVector S2 unit model being installed.

#### Warranty

For your additional peace of mind, Purmo Group gives the following Warranty against manufacturing defect. Your statutory rights are not affected by this Warranty. Subject as provided below, Purmo Group warrants to the original purchaser at the original installation site that its products will be free from defects in materials and workmanship for the following periods:

- Hydronic Radiators: 10 years from date of purchase.\*
- Fan Assisted Radiators (ULOW-E2): 2 years from date of purchase.\*
- Fan Convectors: 2 years from date of purchase.
- Hydronic Underfloor Heating: 10 years for the pipe from date of purchase.
- Hydronic Underfloor Heating: 2 years on accessories, actuators, ball valves, controls, expansion vessels, fittings, low loss headers, manifolds, mixer control groups & toolingfrom date of purchase.
- Hydronic Underfloor Heating: 12 months on all pumps from date of purchase.
- Electric Underfloor Heating: 10 years from date of purchase (except programmer & sensor).
- Electric Radiators: 10 years from date of purchase on radiator unit\*, electric controls & electronic components; 2 years from date of purchase.\*
- Electric Towel Warmers: 2 years from date of purchase.\*
- Hydronic Towel Warmers: 5 to 10 years from date of purchase depending on product type.\*
- Myson Radiator Valves and Controls: 2 to 5 years from date of purchase, depending on range.
- \*Products which are exposed to prolonged extreme conditions, such as high humidity or severe
- cold/condensation, may be subject to deterioration. This is not a result of any manufacturing defect.

Products installed in these circumstances will be subject to a warranty period of twelve months only.

The original purchaser's remedy for breach of this Warranty is expressly limited to repair or replacement of any part or parts found to be defective under conditions of normal service and use during the above Warranty period and does not extend to Purmo Group being liable for any incidental, special or consequential damages or losses whatsoever, such as loss of use of the product, inconvenience or lost profits.

This Warranty does not cover any defect, damage or malfunction in the product which is due to: failure to comply in any respect with Purmo Group's installation, maintenance or operating instructions; faulty storage,

handling, installation or repair; mis-use; neglect; accident; abuse; or general wear and tear. Before this warranty can be activated, the original purchaser will be required to prove, with supporting documentation, the date and place of purchase, as Purmo Group may need to conduct its investigation into

the alleged defect. This should be within 28 days of the date when the defect was discovered or ought to have reasonably discovered the defect.

Purmo Group reserves the right to make a reasonable charge for inspecting and testing any product which is subject to a Warranty claim and the rights conferred by the Warranty are conditional upon the payment of such charge. The charge may be made, at Purmo Group's discretion, either before or after the inspection and testing of the product. In the event that it is established to Purmo Group's reasonable satisfaction that a valid Warranty claim has been made in respect of the product, then any inspection charge which has been paid will be refunded in full by Purmo Group.

## Specification

Feature	Unit	Value
Etim Class		EC010061 - Mechanical accessories,
		ventilator convector
ltem depth	Millimetre (mm)	17, 780
ltem weight	Kilogram (kg)	10.48, 12.34, 7.9, 9.24
ltem height	Millimetre (mm)	545, 75
ltem width	Millimetre (mm)	1104, 1304, 880, 904
Type of accessory/spare part		Rear panel
Depth	Millimetre (mm)	17, 1780, 35
Weight	Kilogram (kg)	12.34, 14, 7.9
Height	Millimetre (mm)	377, 545, 75
Width / Length	Millimetre (mm)	1281, 1504, 704, 880

### Resources

Document Description	Document Type	Link
ltems		
Global Item Code		Item Description
AZ500007524412N0		Vertical casing for wall recessed units - 2 Pipe - VSI 7
AZ500007524414N0		Vertical casing for wall recessed units - 4 Pipe - VSI 7
AZ500007524422N0		Vertical casing for wall recessed units - 2 Pipe - VSI 9
AZ500007524424N0		Vertical casing for wall recessed units - 4 Pipe - VSI 9
AZ500007524432N0		Vertical casing for wall recessed units - 2 Pipe - VSI 11
AZ500007524434N0		Vertical casing for wall recessed units - 4 Pipe - VSI 11
AZ500007524442N0		Vertical casing for wall recessed units - 2 Pipe - VSI 13
AZ500007524444N0		Vertical casing for wall recessed units - 4 Pipe - VSI 13
AZ500007524452N0		Vertical casing for wall recessed units - 2 Pipe - VSI 15
AZ500007524454N0	Vertical casing for wall recessed units - 4 Pipe - VSI 15	